

Insulated Screwdriver

KT No. & D1



- Shank material - SNCM -V alloy steel
- Grip material - PP + TPR
- Finishing - chrome plated with black tip

1471



- Phillips head, round shank
- IEC 60900:2004

KT NO.	No.	mm	inch	mm	g	mm	mm
14710003	PH0	75	3	3.0	37	12 / 144	
14710104	PH1	100	4	4.5	54	12 / 216	
14710204	PH2	100	4	6.0	77	12 / 144	
14710306	PH3	150	6	8.0	135	12 / 144	



147E

new



- PlusMinus Insulated Screwdriver
- Phillips/Slotted hand, round shake
- IEC 60900:2004



KT NO.	No.	mm	inch	mm	g	mm	mm
147E0104	SL/PH1	100	4	4.5	61	12 / 216	
147E0204	SL/PH2	100	4	6.0	85	12 / 144	



1472



- Slotted head, round shank
- IEC 60900:2004

KT NO.	mm	inch	mm	mm	inch	mm	g	mm	mm
14720303	3	1/8	0.5	75	3	3.0	38	12 / 144	
14720404	4	3/16	0.8	100	4	4.0	44	12 / 96	
14723504	3.5	1/8	0.6	100	4	3.5	54	12 / 144	
14725505	5.5	7/32	1	125	5	5.5	72	12 / 144	
14726506	6.5	1/4	1.2	150	6	6.5	87	12 / 144	
14720807	8	5/16	1.2	175	7	8.0	143	12 / 144	



1474



- Square head, round shank
- IEC 60900:2004

KT NO.	Size	mm	inch	mm	g	mm	mm
14740105	RB1	125	5	5.5	72	12 / 144	
14740206	RB2	150	6	6.5	87	12 / 144	



1478



- Pozidriv head, round shank
- IEC 60900:2004

KT NO.	Size	mm	inch	mm	g	mm	mm
14780003	PZ0	75	3	3.0	37	12 / 144	
14780104	PZ1	100	4	4.5	54	12 / 96	
14780204	PZ2	100	4	6.0	77	12 / 144	
14780306	PZ3	150	6	8.0	135	12 / 144	



VDE INSULATED TOOL



Screwdriver & Set


- Shank material - Chrome vanadium alloy steel
- Grip material - PP
- Finishing - chrome plated

1411



- Phillips head, round shank
- DIN ISO 8764

KT NO.	No.	mm		Inch		mm	g	kg	Pcs
		mm	Inch	mm	Inch				
14110003	PH0	75	3	3.0	27	12 / 240			
14110104	PH1	100	4	5.0	41	12 / 240			
14110214	PH2	38	1-1/2	6.5	30	12 / 144			
14110204	PH2	100	4	6.0	70	12 / 96			
14110204-E*	PH2	100	4	6.0	84	12 / 96			
14110205-E*	PH2	125	5	6.0	114	12 / 144			
14110206	PH2	150	6	6.0	82	12 / 144			
14110206-E*	PH2	150	6	6.0	96	12 / 144			
14110208-E*	PH2	200	8	6.0	137	12 / 144			
new 14110210	PH2	250	10	6.0	107	12 / 96			
14110306	PH3	150	6	8.0	126	12 / 144			
14110308	PH3	200	8	8.0	146	12 / 144			



* Enlarged handle

1412



- Slotted head, round shank
- DIN ISO 2380

KT NO.	mm		Inch		mm	g	kg	Pcs
	mm	Inch	mm	Inch				
14120303	3.0	1/8	0.5	75	3	3.0	27	12 / 240
14120404	4.0	5/32	0.8	100	4	4.0	33	12 / 240
14125504	5.5	7/32	0.8	100	4	5.0	41	12 / 240
14126514	6.5	1/4	1.2	38	1-1/2	6.5	30	12 / 144
14126504	6.5	1/4	1.2	100	4	6.0	70	12 / 96
14126504-E*	6.5	1/4	1.2	100	4	6.0	107	12 / 96
14126506	6.5	1/4	1.2	150	6	6.0	79	12 / 144
14126506-E*	6.5	1/4	1.2	150	6	6.0	124	12 / 144
14120806	8.0	5/16	1.2	150	6	8.0	124	12 / 144
14120808	8.0	5/16	1.2	200	8	8.0	146	12 / 144



* Enlarged handle

2411



- Two-way screwdriver hex shank

KT NO.	No.	mm		Inch		g	kg	Pcs
		mm	Inch	mm	Inch			
24110204	PH2	7	1.2	100	4	89	20 / 240	
24110214	PH2	7	1.2	38	1-1/2	42	20 / 240	



KT NO.	PC.	Contents		kg	Pcs
35105MR	5	1411	PH1 x 100, PH2 x 100	0.54	1 / 20
		1412	4 x 100, 5.5 x 100, 6.5 x 150		
35116MR01	6	1411	PH1 x 100, PH2 x 100, PH3 x 150	0.65	1 / 20
		1412	4 x 100, 5.5 x 100, 6.5 x 150		
35107MR	7	1411	PH1 x 100, PH2 x 100, PH3 x 150	0.72	1 / 20
		1412	4 x 100, 5.5 x 100, 6.5 x 150, 8 x 150		



Go Thru Screwdriver & Set

KT No. & D1



- Shank material - Chrome vanadium alloy steel
- Grip material - PP
- Finishing - chrome plated

1482



- Slotted head, hex-shank
- DIN ISO 2380

KT NO.	mm		inch		mm	mm	mm	mm	mm
	mm	inch	mm	inch					
14825503	5.5	7/32	0.8	75	3	5.0	50	12 / 240	
14826504	6.5	1/4	1.2	100	4	6.0	88	12 / 144	
14826504-E*	5.5	1/4	1.2	100	4	6.0	130	12 / 96	
14826505-E*	6.5	1/4	1.2	125	5	6.0	170	12 / 144	
14826506	6.5	1/4	1.2	150	6	6.0	120	12 / 144	
14820806	8.0	5/16	1.2	150	6	8.0	169	12 / 144	
14821012	10.0	12/32	1.6	300	12	10.0	322	10 / 40	

* Enlarged handle



36206MR

Contents

0.97 kg / 1 / 20

⊕ 1481 PH1 x 75, PH2 x 100, PH3 x 150

⊖ 1482 5.5 x 75, 6.5 x 150, 8.0 x 150




6 PC.

35114MR

- Standard & insulated & go thru screwdriver set

35114MR01



14 PC.

KT NO.	Contents		2.40 kg / 1 / 4
35114MR	⊖ 1472	6.5 x 150	⊕ 1411 PH0 x 75, PH1 x 100, PH2 x 100, PH2 x 150, PH2 x 38, PH3 x 150
35114MR01	⊕ 1478	PZ2 x 100	⊖ 1412 3 x 75, 4 x 100, 5.5 x 100, 6.5 x 150, 6.5 x 38, 8 x 200
			⊖ 1482 10 x 300

