



# PRODUCTS CATALOG

MADE IN JAPAN SINCE 1923



# CORPORATE PROFILE



Corporate name FUJIYA Co.,Ltd.  
 Established September, 1923  
 President Yasunobu Nozaki  
 Capital 30 million yen  
 Number of employees 210 people (as the group) (as of January,2020)  
 Head Office 2-6-32, Matsubara, Higashi-Osaka City, Osaka Prefecture 578-0922, Japan  
 e-mail global@fujiya-kk.com

Branch TOKYO / Ho Chi Minh (Viet Nam) / Ha Noi (Viet Nam)

FUJIYA group FUJIYA MANUFACTURING (Viet Nam) Co., Ltd.  
 FUJIYA International Co., Ltd.  
 VICTOR CO., LTD. (Osaka Japan)  
 WISE CO., LTD. (Niigata Japan)

Description of business DIY stores, hardware stores, machine tool stores, electric facilities material stores

## CRAFTSMANSHIP

It may be 'just' pliers—but it's pliers!

Tradition and innovation of FUJIYA, which has continued for more than 90 years  
 With our skilled technology, we will continue to be committed to quality above all else.

### Forging

The air gaps inside the metal are crushed, to enhance the strength and form the metal into the intended shape. This is the most important process that decides the quality of the product. By the fine-tuned checking of product quality, if there are products with poor quality, we immediately stop production to prevent poor-quality products from being sent to the next stage of the process. Additionally, when there are requests from the post-process, we always improve the forging to meet such requests.



### Machining process

First, the metal is machined to make it closer to the shape of a final product. You might think it's 'nothing but pliers'. But we do process the metal, using many machines, to make a single pair of pincers. We make proper adjustments of individual machines, committing ourselves to making only the highest-quality products.




### Assembly

After combining the right and left parts by inserting a pin, the operator manually makes adjustments. For the first time, the metal is formed into a pair of pliers. In this process, the left and right parts, sent separately from the machining process, are assembled into a single item. Since this process is the groundwork for the post-process, the operator checks each pair of pliers, individually, to make sure there is absolutely zero mis-alignment when the left and right parts are assembled, making delicate adjustments, if necessary.



### Quenching

After quenching the entire part, the operator applies high-frequency induction quenching to increase the hardness of the tips. The operator applies quenching equally to the left and right blades to increase the hardness, in order to produce highly durable blades of equal hardness. However, if the metal is too hard, it becomes rather brittle. Therefore, we check the products with rigorous standards, by conducting tests on body hardness, blade hardness and impact resistance.



### Edge sharpening

If the edges of right and left blades hit each other accurately, their durability becomes inferior, while if they are overlapped too much, the sharpness becomes inferior. This process decides the cutting sharpness, which is the most important for all types of pliers. The bottom ends of the blades are used for cutting, in the case of side cutting pliers, while the top ends of the blades are used for cutting, in the case of nippers. Therefore, the operator manually sharpens the edges of blades, one by one, by thinking about how the products will actually be used. In addition, since durability depends on how the edges are sharpened, the operator conducts the edge sharpening operation by being conscious, not only of its sharpness, but also its durability.




### Polishing

In this finishing process, the products are carefully polished. This process is not directly related to the function of the product. However, if a product has a poor appearance, customers will be reluctant to pick them up from the shop counter. Therefore, we carefully polish our products by paying full attention to appearance, including the balance between the left and right parts, uniformity among each product and offer beautifully polished surfaces.



# History of Fujiya

since 1923





# FUJIYA FACTORY



## World wide

Fujiya has established a global supply system that comes from its three production facilities in Osaka, Japan, Niigata, Japan, and Fujiya Vietnam. We work hard to meet our customer's needs.

## Headquarters & OSAKA Factory

The head production facility in Osaka is our machining center which focuses on product and technological development. We work on creating cutting edge tools through highly precise processing technology and our uniquely developed quenching process which involves laser heat treatment.



## VIETNAM Factory

At Fujiya Vietnam, the same high-quality products from Japan are produced under the careful watch of skilled workers who underwent training in Japan.



## NIIGATA Factory(WISE)

The Niigata production facility focuses on the production of ballpoint wrenches and screwdrivers which feature excellent rigidity and durability. These features are created via our uniquely developed heat treatment method.



## PICTOGRAM

### Strong Style

**STRONG BLADES**  
Blades are at an obtuse angle and last exceptionally well.

### Flat Type

**STRAIGHT BLADES**  
Best for curved gate cuts.

**ROUND BLADES**  
Suitable for flat gate cuts.

**MICRO MIRROR BLADE**  
These blades feature Fujiya's own "Micro Mirror Blade" which was developed through polishing technology. They allow for simple cuts, and leave a beautiful cut cross section.

**STANDARD MODEL**  
A popular standard model loved by many of our customers.

**with SPRING MODEL**  
The spring makes these suitable for work involving repeated cutting.

**ROHS COMPLIANT**  
This item is ROHS approved.

**ELASTOMER GRIP HANDLE**  
Use an elastomer resin grip that is both gentle on the environment and fits perfectly in one's hand.

**SAFETY APPLICABLE**  
Comes with a hole in the grip for attaching to a safety cord.

**WIDTH of BLADE**  
Displays the blade width.

**STAINLESS PRODUCT**  
Made with stainless steel and is rust-resistant.

**ALUMINUM**  
Made stronger and lighter with an aluminum body and so the user doesn't tire out.

**EASY CUTTING**  
Items are easier-to-cut with diagonal blades and by placing the rivet at point A.

**SMALLHOLE on BLADES**  
Comes with stripping function for covered wires.

**CRIMPING FUNCTION**  
Equipped with a convenient, simple crimping function that's helpful on worksites.

**PLIER FUNCTION**  
There is a large indentation at the base of the jaws, leading the tool to function as pliers, too.

**ESD APPLICABLE**  
The grips reduce static electricity for short periods of time and resist electrocution.

**CUTTING FUNCTION**  
Comes with cutting function.

**SOFT GRIP HANDLE**  
This grip design was created via ergonomics. It's soft, able to be used for long periods of time, and reduces stress on hand when in use.

**with INDENTATION**  
Jaws are indented in order to assure that gripped items will not slip.

**without INDENTATION**  
Jaws are flat in order to not damage anything gripped.

**STOPPER FUNCTION**  
Comes with easy-to-use safety stopper and is secure when stored.

**BENT TYPE**  
The nose is bent, making it more user-friendly.

**CLIPPER**  
Blades are clipper-type.

**DETACHABLE CLAW TYPE**  
Claw can be detached from the main body with one screw.

**MICRO EDGE**  
The base of the jaws are indented in order to help secure the item being cut.

**WIRE CUT FUNCTION**  
(Annealing) wires up to 2mm in diameter (max #14) can be cut with these. Tools with this icon can also cut up to three #18 (1.2mm diameter) wires at once.

**NON SCATTERING DEVICE**  
Coated with a non-scattering plate so no fragments scatter when cut.

**EXCLUSIVE TOOL**  
This item is Exclusive tool.

**NEW INDENTATION SHAPE**  
Jaws hold a better grip than their original counterparts.

**DETACHABLE BLADE TYPE**  
If the blade becomes dull, then it can be replaced with a new one to make it like-new.

**JIS JQA**  
FUJIYA JAPAN (JQ0509059) SIDE CUTTING PLIERS 4623) ANGLE CUTTING NIPPERS 4625) FUJIYA VIETNAM (JQV09001) LONG NOSE PLIERS 4631) DIAGONAL CUTTING NIPPERS 4635)



# INDEX

## ■ A SERIES

APN-110FS	MINITECH PLASTIC NIPPERS	8
APN-FS	PLASTIC CUTTING NIPPERS	8
APN-RS	PLASTIC CUTTING NIPPERS	8
AMN-110S	MINITECH SMALL NIPPERS	9
AMN-125S	MINI NIPPERS	9
ATMN	MINI NIPPERS	9
ASN	STANDARD NIPPERS	9
AKN	DIAGONAL CUTTING NIPPERS	10
AP	SIDE CUTTING PLIERS	10
APP	HIGH LEVERAGE LINEMAN'S PLIERS	10
AR-110S	MINITECH SHORT NOSE PLIERS	11
AR	LONG NOSE PLIERS	11
AMR-150S	MULTI-PURPOSE LONG NOSE PLIERS	11
ATR-150S	MINITECH TWEEZER LONG NOSE PLIERS	12
ATR-150SB	MINITECH TWEEZER LONG NOSE PLIERS (BENT)	12
ACC	CABLE HANDY CUTTERS	12
AWS-150S	LONG NOSE PLIERS for WELDING WORKS(STRAIGHT)	12
AWB-150S	LONG NOSE PLIERS for WELDING WORKS(BENT)	12

## ■ KUROKIN SERIES

3000N-BG	HIGH LEVERAGE SIDE CUTTING PLIERS	14
700N-BG	HIGH LEVERAGE DIAGONAL CUTTING NIPPERS	14
7700N-BG	HIGH LEVERAGE DIAGONAL CUTTING NIPPERS	14
770N-BG	DIAGONAL CUTTING NIPPERS	14
FLA-BG	ADJUSTABLE WRENCHES	15
FLS-BG	ADJUSTABLE WRENCHES SHORT TYPE	15
FLT-BG	ADJUSTABLE WRENCHES THIN TIP TYPE	15
FGL-BG	ADJUSTABLE WRENCH with RACHET WRENCH	16
FGP-BG	QUICK ADJUSTABLE WRENCHES	16
210-BG	SLIP JOINT COMBINATION PLIERS (BENT TYPE)	17
230-BG	LIGHTWEIGHT SLIP JOINT COMBINATION PLIERS	17
130-BG	LIGHTWEIGHT WATER PUMP PLIERS	17
110-BG	WATER PUMP PLIERS	17
FLM-BG	PLIERS WRENCH	18
FLP-BG	REVERSIBLE JAW PIPE WRENCH	18
FVA101-BG	VA(VVF) CABLE STRIPPER	19
PC11-BG	HEAVY DUTY DIAGONAL CLIPPERS	19
PC12-BG	HEAVY DUTY DIAGONAL CLIPPERS	19
FSC-SR	SAFETY CODE with LOCK FUNCTION 5kg	20
FSC-5	SAFETY CODE 5kg	20
FSC-3	SAFETY CODE 3kg	20
FSC-3S	SAFETY CODE SLIM TYPE 3kg	20
FSC-1S	SAFETY CODE SLIM TYPE 1kg	20
FSC-3SW	SAFETY CODE TWIN HOOK TYPE 3kg	20
PS-BG	WAIST HOLDER BAGS	21
PS-BG	PLIER HOLDERS	22
PS-BG	SUPPORT BELTS	22
B-BG	WORK BELTS	22

## ■ PLASTIC CUTTING NIPPERS

90CS	CATCH NIPPERS	23
HP940-XF	PLASTIC CUTTING NIPPERS	24
HP940-XR	PLASTIC CUTTING NIPPERS	24
HP813	PLASTIC CUTTING NIPPERS(MATERIAL:STAINLESS)	24
HP925	PLASTIC CUTTING NIPPERS	24
HP845	PLASTIC CUTTING NIPPERS(MATERIAL:STAINLESS)	25
90PMA	PLASTIC CUTTING NIPPERS	25
MP5	MINITECH PLASTIC NIPPERS	25

PP90	PROTECH NIPPERS	26
910	END PLASTIC CUTTING NIPPERS	26
920	ANGLE PLASTIC CUTTING NIPPERS	26
50P	ANGLE PLASTIC CUTTING NIPPERS	26
GPN-FS	PLASTIC CUTTING NIPPERS	27
90A	PLASTIC CUTTING NIPPERS	27
90AS	PLASTIC CUTTING NIPPERS	27
GPN-RS	PLASTIC CUTTING NIPPERS	28
90PS	PLASTIC CUTTING NIPPERS	27
90	PLASTIC CUTTING NIPPERS	28
90S	PLASTIC CUTTING NIPPERS	28

## ■ CUTTING NIPPERS

FCN	MICRO DIAGONAL CUTTING NIPPERS	29
PP60	PROTECH NIPPERS	30
HP855	STAINLESS STANDARD NIPPERS	30
GMN	MINITECH SMALL NIPPERS	30
MP11	MINITECH MINI NIPPERS	30
FMN	MINI NIPPERS	30
60	STANDARD NIPPERS	31
60S	STANDARD NIPPERS	31
12S	MINI NIPPERS	31
MTN03	MINITECH BOARD NIPPERS	31
MTN03E	MINITECH BOARD NIPPERS	31
01	STRAIGHT NIPPERS	32
10	STRIPPING NIPPERS	32
50AP	ANGLE CUTTING NIPPERS	32
50A	ANGLE CUTTING NIPPERS	32
GNN	ANGLE CUTTING NIPPERS	32
460S	HEAVY DUTY STANDARAD NIPPERS with CARBIDE BLADE	33
PP460	PROTECH NIPPERS with CARBIDE BLADE	33
60H	STAINLESS STANDARD NIPPERS	33

## ■ DIAGONAL CUTTING NIPPERS

7700N	HIGH LEVERAGE DIAGONAL CUTTING NIPPERS	35
770	DIAGONAL CUTTING NIPPERS	35
790	DIAGONAL CUTTING NIPPERS	36
77A	DIAGONAL CUTTING NIPPERS	36
707S	DIAGONAL CUTTING NIPPERS	36
700N	HIGH LEVERAGE DIAGONAL CUTTING NIPPERS	37
700	HIGH POWER NIPPERS	37
7	DIAGONAL CUTTING NIPPERS	37
70	DIAGONAL CUTTING NIPPERS	38
GKN	DIAGONAL CUTTING NIPPERS	38
70Z	ELECTRICAL WORK DIAGONAL CUTTING NIPPERS	38
470	HEAVY DUTY DIAGONAL CUTTING NIPPERS with CARBIDE BLADE	38

## ■ LONG NOSE PLIERS

NSP01	SCREW PLIERS	39
SP26	SCREW PLIERS	40
330	MECHANIC PLIERS STRAIGHT	40
330E	MECHANIC PLIERS ERGO GRIP	40
GR	LONG NOSE PLIERS	41
350S	LONG NOSE PLIERS	41
350T	BENT LONG NOSE PLIERS	41
350Y	SIDE BENT LONG NOSE PLIERS	41
AMR	MULTI-PURPOSE LONG NOSE PLIERS	41
380	LONG NOSE PLIERS	42

360A	LONG FLAT NOSE PLIERS	42
350H	STAINLESS LONG NOSE PLIERS	42
350L	STAINLESS BENT NEEDLE NOSE PLIERS	42
MP9	MINITECH SHORT NOSE PLIERS	43
MP9A	MINITECH SHORT NOSE PLIERS	43
MP9AT	MINITECH BENT SHORT NOSE PLIERS	43
MP6	MINITECH SUPER MICRO LONG NOSE PLIERS	43
MP7	MINITECH TWEEZER LONG NOSE PLIERS	44
MP8	MINITECH TWEEZER LONG NOSE PLIERS	44
303	TWEEZER LONG NOSE PLIERS without Blade Type	44
303T	TWEEZER LONG NOSE PLIERS without Blade Type	44

## ■ SIDE CUTTING PLIERS

3300N	HIGH LEVERAGE LINEMAN'S PLIERS "ZERO BLACK"	46
3000TP	HIGH LEVERAGE LINEMAN'S PLIERS	46
3000SPT	HIGH LEVERAGE LINEMAN'S PLIERS	46
1800	HIGH LEVERAGE SIDE CUTTING PLIERS	47
1700	HIGH LEVERAGE LINEMAN'S CRIMP PLIERS	47
3300	LINEMAN'S PLIERS	47
3000Z	ELECTRICAL WORK LINEMAN'S PLIERS	47
3000	LINEMAN'S PLIERS	47
GP	SIDE CUTTING PLIERS	48
1050H	SIDE CUTTING PLIERS	48
1050Z	ELECTRICAL WORK SIDE CUTTING PLIERS	48
1150A	LINEMAN'S CRIMP PLIERS	48
1150B	LINEMAN'S CRIMP PLIERS	48

## ■ CABLE HANDY CUTTERS, SCISSORS

GCC	CABLE HANDY CUTTERS	50
600-500	CABLE HANDY CUTTERS	50
FRC	CABLE HANDY CUTTERS	50
FM02	ALMIGHTY ELECTRIC WORK SCISSORS	51
FM03	ELECTRICAL WORK SCISSORS	51
FM04	ELECTRICAL WORK SCISSORS	51
FM06	ELECTRICAL WORK SCISSORS	51
BKB	MINI AVIATION SNIPS	51

## ■ ADJUSTABLE WRENCHES, PLIERS

FLA	ADJUSTABLE WRENCHES	53
FLA-G	ADJUSTABLE WRENCHES	53
FLS-G	ADJUSTABLE WRENCHES SHORT TYPE	53
FAW	ADJUSTABLE WRENCHES STANDARD TYPE	54
FOS	SNAP RING PLIERS EXTERENAL OPEN (STRAIGHT)	54
FCS	SNAP RING PLIERS INTERNAL CLOSE (STRAIGHT)	54
FB/FS	SNAP RING PLIERS DETACHABLE CLAW	54

## ■ LINEMAN'S TOOLS

FA202	CRIMPING PLIERS(for Insulated Terminals-Non-Insulated Terminals)	55
FA203	CRIMPING PLIERS(for Faston Terminal)	55
PP707A	AUTO MULTI STRIPPER	56
PP323A/B	PROTECH WIRE STRIPPER type A/type B	56
PP404	WIRE STRIPPER	57
PP505	AUTO MULTI STRIPPER mini	57
PP606	MODULAR PLUG ATTACHING/DETACHING TOOL	57
FA101	CRIMPING PLIERS (Inslated terminals)	58
FA102	CRIMPING PLIERS (Non-Inslated terminals)	58
FA103	CRIMPING PLIERS (Faston terminals)	58
FA104	CRIMPING PLIERS (Inslated/Non-Inslated terminals)	58
FA105	CRIMPING PLIERS (Inslated/Faston terminals)	58
FA106	CRIMPING PLIERS (Faston/Non-Inslated terminals)	58

FDS	TOOL KIT	58
FVA101	VA CABLE STRIPPERS	59
FVA1620	ELECTRICAL WORK VA STRIPPER	59
FK01	ELECTRICAL WORK KNIFE	59
FMC	M-BAR CUTTERS	60
FCC	C-CHANNEL CUTTERS	60
HT17	ELECTRICAL PENETRATION HAMMER	60
HT17P	ELECTRICAL PENETRATION HAMMER	60
HWC	WIRE CUTTERS	61
WC	WIRE CUTTERS	61
FF28	RESIN FLEXIBLE CUTTERS	61
FF29	RESIN TUBE CUTTERS	61
FPD	6-PC.PRECISION SCREWDRIVER SET	61
FKD	ELECTRIC TEST DRIVER (-)100-380V	61

## ■ HEAVY DUTY DIAGONAL CLIPPERS

PC11	HEAVY DUTY DIAGONAL CLIPPERS	62
PC12	HEAVY DUTY DIAGONAL BENT CLIPPERS	62
PC13	HEAVY DUTY DIAGONAL CLIPPERS	62
PC5	HEAVY DUTY DIAGONAL CLIPPERS	62

## ■ STRAGE RELATIONS

WB	WAIST HOLDER BAGS	64
PN	PLIER HOLDERS	65
PD	PEN TYPE INPACT DRIVER HOLDER	65
SB	SUPPORT BELT	66
SP/SPB	SUSPENDERS	66
WB-BT/CT	WAIST HOLDER BAGS TYPE-B/C	66
AP	ACTIVE POUCHES	67
TT	LINEMAN'S TOTE BAG	67
LP-B	PLIER HOLDER	68
LP-9DSB	RATCHET HOLDEER	68
LP-8D/8DS	CRIMPING TOOL HOLDERS	68
LP	PLIER HOLDERS (LEATHER)	69
FHC	TOOL BAGS(HIPPO CASE) CAMOUFLAGE GREEN/GRAY	70
FTC	TOOL BAGS(HIPPO CASE) ICE GRAY	70
FSC-5/-3	SAFETY CODE	71

## ■ HEXAGON WRENCH

LB330	BALL-POINT HEX KEY WRENCH (long)	73
LB130	BALL-POINT HEX KEY WRENCH (Short)	73
LH330	HEX KEY WRENCH (long)	74
LH130	HEX KEY WRENCH (Short)	74
LB310	BALL-POINT HEX KEY WRENCH (Short neck type / long)	74
LB110	BALL-POINT HEX KEY WRENCH (Short neck type / short)	74
LW330C	BALL-POINT HEX KEY WRENCH (both ends are ball point type)	75
LB311C	BALL-POINT HEX KEY WRENCH(DODECAGON type)	75
H-T/H-TB	TRIPLE HANDLE	76
HR/H-RE	RETURN HANDLE	76
A002BR	HANDLE ADAPTER(2mm 6mm)	76
A003R	HANDLE ADAPTER(2, 2.5, 3mm)	76
A006B	HANDLE ADAPTER(4, 5, 6mm)	76
H-P	PIPE HANDLE	76
PB310	PIERCE BALL WRENCH	77

## ■ CUTTERS

AC	DORAIN PIPE CUTTERS	79
VP	VINYL PIPE CUTTERS	80
VD	AIRCONDITIONER DUCT CUTTERS	81
VC-28	FLEXIBLE PIPE CUTTER	82
VM-29	VINYL PIPE CUTTER	82
6003VA	VA STRIPPER	83
8501/8507	FINE CERAMIC TWEEZERS	84

# A-SERIES

## PLIERS, NIPPERS, LONG NOSE PLIERS

- MINITECH PLASTIC NIPPERS..... 8
- PLASTIC CUTTING NIPPERS ..... 8
- MINITECH SMALL NIPPERS ..... 9
- MINI NIPPERS ..... 9
- STANDARD NIPPERS ..... 9
- DIAGONAL CUTTING NIPPERS ..... 10
- SIDE CUTTING PLIERS..... 10
- HIGH LEVERAGE LINEMAN'S PLIERS ..... 10
- MINITECH SHORT NOSE PLIERS ..... 11
- LONG NOSE PLIERS ..... 11
- MULTI-PURPOSE LONG NOSE PLIERS ..... 11
- MINITECH TWEEZER LONG NOSE PLIERS ..... 12
- MINITECH TWEEZER LONG NOSE PLIERS BENT TYPE ..... 12
- CABLE HANDY CUTTERS ..... 12
- LONG NOSE PLIERS for WELDING WORKS ..... 12




### MINITECH PLASTIC NIPPERS

APN-110FS



Small-type can fit in one's palm and is suitable for delicate work.




No.	SIZE mm	WEIGHT g/w	CUTTING PERFORMANCE		PACKAGE SIZE HxWxDmm	Quantity	JAN CODE
			RESIN mm				
APN-110FS	110	60	Φ3.0		170×73×15	6	341018

### PLASTIC CUTTING NIPPERS

APN-125FS, 150FS



These are the golden standard of nippers. It makes it harder for springs to drop. Best for curved gate cuts.




No.	SIZE mm	WEIGHT g/w	CUTTING PERFORMANCE		PACKAGE SIZE HxWxDmm	Quantity	JAN CODE
			RESIN mm				
APN-125FS	125	90	Φ3.0		170×73×15	6	340004
APN-150FS	150	125	Φ5.0		200×73×15	6	340011

### PLASTIC CUTTING NIPPERS

APN-125RS, 150RS



These are the golden standard of nippers. It makes it harder for springs to drop. Suitable for flat gate cuts.



No.	SIZE mm	WEIGHT g/w	CUTTING PERFORMANCE		PACKAGE SIZE HxWxDmm	Quantity	JAN CODE
			RESIN mm				
APN-125RS	125	90	Φ3.0		170×73×15	6	340028
APN-150RS	150	125	Φ5.0		200×73×15	6	341001

※The last six digits of JAN (Japanese Article Numbering) Code are displayed with the manufacturer code [4952520] omitted.




## MINITEC SMALL NIPPERS

AMN-110S



Very small blades part, most suitable to cutting work in narrow space and cut super thin wire.

No.	SIZE mm	WEIGHT g/w	CUTTING PERFORMANCE				PACKAGE SIZE H×W×Dmm	Quantity	JAN CODE
			SOFT STEEL WIRE mm	COPPER WIRE mm	TWISTED WIRE mm	PIANO WIRE mm			
AMN-110S	110	60	Φ1.0	Φ1.8	Φ2.0	—	170×73×15	6	341025




## MINI NIPPERS

AMN-125S



Very small blades part, most suitable to cutting work in narrow space and cut super thin wire.

No.	SIZE mm	WEIGHT g/w	CUTTING PERFORMANCE				PACKAGE SIZE H×W×Dmm	Quantity	JAN CODE
			SOFT STEEL WIRE mm	COPPER WIRE mm	TWISTED WIRE mm	PIANO WIRE mm			
AMN-125S	125	70	Φ1.6	Φ2.0	—	—	170×73×15	6	341032




## MINI NIPPERS

ATMN-120S



Ideal for cutting fine wire.

No.	SIZE mm	WEIGHT g/w	CUTTING PERFORMANCE				PACKAGE SIZE H×W×Dmm	Quantity	JAN CODE
			SOFT STEEL WIRE mm	COPPER WIRE mm	TWISTED WIRE mm	PIANO WIRE mm			
ATMN-120S	120	75	Φ0.8	Φ1.2	—	—	170×73×15	6	341049




## STANDARD NIPPERS

ASN-125S,150S



Very small blades part, most suitable to cutting work in narrow space and cut super thin wire.

No.	SIZE mm	WEIGHT g/w	CUTTING PERFORMANCE				PACKAGE SIZE H×W×Dmm	Quantity	JAN CODE
			SOFT STEEL WIRE mm	COPPER WIRE mm	VA-VVF CABLE	PIANO WIRE mm			
ASN-125S	125	80	Φ1.2	Φ2.0	—	—	170×73×15	6	341100
ASN-150S	150	110	Φ1.6	Φ2.6	—	—	200×73×15	6	341117




## DIAGONAL CUTTING NIPPERS

AKN-150,175,200



Made of high grade alloy steel and specially heat-treated for the professional use. Longer and tougher cutting blade than before makes better cutting performance and durability.

No.	SIZE mm	WEIGHT g/w	CUTTING PERFORMANCE				PACKAGE SIZE H×W×Dmm	Quantity	JAN CODE
			SOFT STEEL WIRE mm	COPPER WIRE mm	TWISTED WIRE mm	PIANO WIRE mm			
AKN-150	150	190	Φ2.0	Φ3.0	—	Φ1.0	200×73×20	6	341056
AKN-175	175	240	Φ2.0	Φ3.0	—	Φ1.2	223×73×20	6	343036
AKN-200	200	320	Φ3.0	Φ3.5	—	Φ1.2	223×73×20	6	343043



## SIDE CUTTING PLIERS

AP-150,175,200




This model is lightweight and strong. It is toughness and sharpness, use specific iron. There is holding indentation so it is easy to grab objects.



AP-200

No.	SIZE mm	WEIGHT g/w	CUTTING PERFORMANCE			PACKAGE SIZE H×W×Dmm	Quantity	JAN CODE
			SOFT STEEL WIRE mm	COPPER WIRE mm	VA-VVF CABLE			
AP-150	150	180	Φ2.2	Φ3.0	—	200×73×18	6	342060
AP-175	175	285	Φ3.0	Φ3.5	—	223×73×20	6	342077
AP-200	200	365	Φ3.4	Φ4.0	—	253×73×20	6	342084



## HIGH LEVERAGE LINEMAN'S PLIERS


APP-225



Thin and light model. Diagonal blades make it easier to smoothly cut piano wire.



No.	SIZE mm	WEIGHT g/w	CUTTING PERFORMANCE				PACKAGE SIZE H×W×Dmm	Quantity	JAN CODE
			SOFT STEEL WIRE mm	COPPER WIRE mm	VA-VVF CABLE	PIANO WIRE mm			
APP-225	225	340	Φ3.6	Φ4.0	2.6×3core	—	270×73×20	6	340035



※The last six digits of JAN (Japanese Article Numbering) Code are displayed with the manufacturer code [4952520] omitted.

※The last six digits of JAN (Japanese Article Numbering) Code are displayed with the manufacturer code [4952520] omitted.



## MINITEC SHORT NOSE PLIERS

AR-110S



Thin and short nose tips are good for precision gripping and bending work.

No.	SIZE mm	WEIGHT g/w	CUTTING PERFORMANCE		PACKAGE SIZE HxWxDmm	Quantity	JAN CODE
			SOFT STEEL WIRE mm	COPPER WIRE mm			
AR-110S	110	57	Φ1.0	Φ1.5	170×73×12	6	342039




## LONG NOSE PLIERS

AR-125S,150S



Thin and short nose tips are good for precision gripping and bending work.

No.	SIZE mm	WEIGHT g/w	CUTTING PERFORMANCE		PACKAGE SIZE HxWxDmm	Quantity	JAN CODE
			SOFT STEEL WIRE mm	COPPER WIRE mm			
AR-125S	125	95	Φ1.5	Φ2.6	170×73×12	6	342015
AR-150S	150	120	Φ1.5	Φ2.6	200×73×15	6	342022




## MULTI-PURPOSE LONG NOSE PLIERS

AMR-150S



Six different functions are integrated into this single tool. Hold/Turn/Crack/Strippe/Crimping/Cut

No.	SIZE mm	WEIGHT g/w	CUTTING PERFORMANCE		PACKAGE SIZE HxWxDmm	Quantity	JAN CODE
			SOFT STEEL WIRE mm	COPPER WIRE mm			
AMR-150S	150	120	Φ1.5	Φ2.6	200×73×15	6	342008




## MINITECH TWEEZER LONG NOSE PLIERS

ATR-150S



Specially suitable for precision works due to the head of thin and long without holding indentation.

No.	SIZE mm	WEIGHT g/w	CUTTING PERFORMANCE		PACKAGE SIZE HxWxDmm	Quantity	JAN CODE
			SOFT STEEL WIRE mm	COPPER WIRE mm			
ATR-150S	150	50	Φ0.8	Φ1.2	200×73×15	6	342046




## MINITECH TWEEZER LONG NOSE PLIERS(BENT)

ATR-150SB



The nose part is a bent-type. Specially suitable for precision works due to the head of thin and long without holding indentation.

No.	SIZE mm	WEIGHT g/w	CUTTING PERFORMANCE		PACKAGE SIZE HxWxDmm	Quantity	JAN CODE
			SOFT STEEL WIRE mm	COPPER WIRE mm			
ATR-150SB	150	50	Φ0.9	Φ1.3	200×73×15	6	342053




## CABLE HANDY CUTTERS

ACC-150



Cutting for rubber and urethane. Heat treatment process at our own standard provides outstanding sharpness and durability.

No.	SIZE mm	WEIGHT g/w	CUTTING PERFORMANCE			PACKAGE SIZE HxWxDmm	Quantity	JAN CODE
			SOFT STEEL WIRE mm	COPPER WIRE mm	IV CABLE			
ACC-150	150	150	—	—	22mm <sup>2</sup> φ9.2	200×73×18	6	343005





## CABLE HANDY CUTTERS

ACC-200



Cutting for rubber and urethane. Heat treatment process at our own standard provides outstanding sharpness and durability.

No.	SIZE mm	WEIGHT g/w	CUTTING PERFORMANCE			PACKAGE SIZE HxWxDmm	Quantity	JAN CODE
			SOFT STEEL WIRE mm	COPPER WIRE mm	IV CABLE			
ACC-200	200	285	—	—	38mm <sup>2</sup> φ11.4	251×73×15	6	343012




## LONG NOSE PLIERS for WELDING WORK(STRAIGHT)

AWS-150S



For welding work Spatter at the tip of the nozzle can be removed. For welding nozzle tip attachment / detachment work Pull out the wire and cut it.

No.	SIZE mm	WEIGHT g/w	CUTTING PERFORMANCE			PACKAGE SIZE HxWxDmm	Quantity	JAN CODE
			SOFT STEEL WIRE mm	COPPER WIRE mm	IV CABLE			
AWS-150S	160	140	Φ1.5	Φ2.6	—	200×73×18	6	342206




## LONG NOSE PLIERS for WELDING WORK(BENT)

AWB-150S



For welding work Spatter at the tip of the nozzle can be removed. For welding nozzle tip attachment / detachment work Pull out the wire and cut it.

No.	SIZE mm	WEIGHT g/w	CUTTING PERFORMANCE			PACKAGE SIZE HxWxDmm	Quantity	JAN CODE
			SOFT STEEL WIRE mm	COPPER WIRE mm	IV CABLE			
AWB-150S	160	140	Φ1.5	Φ2.6	—	200×73×18	6	342213



※The last six digits of JAN (Japanese Article Numbering) Code are displayed with the manufacturer code [4952520] omitted.

※The last six digits of JAN (Japanese Article Numbering) Code are displayed with the manufacturer code [4952520] omitted.



**Head Office**

2-6-32 Matsubara Higashiosaka Osaka Japan 578-0922  
Tel +81-72-963-0825 Fax +81-72-963-0835  
Mail : global@fujija-kk.com

HP : <http://www.fujija-kk.com/en/>

