



## MATERIAL FACT SHEET

229238 Q64AD2DA

### General Data

Product Hierarchy	IAD50702
	Modular PLC
	Q-Single
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_IA/EUR/en/p/000000000000229238](https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000229238)

### FA-MOD PLC: Analogue I/O Module

Series	MELSEC-Q SERIES
Type	ANALOG INPUT/OUTPUT COMBINED
Power Supply (V)	24
Current Type	DC
Occupied I/O Points on PLC	16
Integrated Analogue Inputs	4
Integrated Analogue Outputs	2
Input Voltage Range (V)	-10-10; 0-10; 0-5; 1-5
Input Current Range (mA)	0-20; 4-20
Output Voltage Range (V)	-10-10; 0-5; 1-5
Output Current Range (mA)	0-20; 4-20
Wiring	SCREW
Int. Current Consumption (A)	0,17

### Product Dimensions & Weight

Width (mm)	27,4
Height (mm)	98
Depth (mm)	112
Weight (kg)	0,23

### Logistic Dimensions & Gross Weight

Length (cm)	17,0
Width (cm)	15,0
Height (cm)	7,0
Gross Weight (kg)	0,300
Volume (cdm)	1,785

### Stock Data

Planned Delivery Time (Days)	136
------------------------------	-----

### Life Cycle

Sales Start	22.11.2009
Predecessor	No Predecessor

### Additional Product Information

Binding Tariff Information	DEBTI-10685/21-1
BTI validity date	31.10.2024
Battery included	NO
Forecast Breakdown	Q-SINGLE

### Export Data

Commodity Code	85389099
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

**Environmental**

REACH Limit Exceeded	YES
REACH Substance CAS Number	<a href="#">12060-00-3</a>
REACH Substance CAS Number (2)	<a href="#">2451-62-9</a>
REACH Substance CAS Number (3)	<a href="#">7439-92-1</a>
REACH Substance CAS Number (4)	<a href="#">80-05-7</a>
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

**Conformity**

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA
UKCA	COMPLIANT

**Documentation & Media Data**

Manual URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2ff94&amp;q=Q64AD2DA&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2ff94&amp;q=Q64AD2DA&amp;doc-lang=en</a>
Certificates URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=Q64AD2DA&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=Q64AD2DA&amp;doc-lang=en</a>
CAD URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=Q64AD2DA&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=Q64AD2DA&amp;doc-lang=en</a>

**Product Packaging**

Cardboard (g)	55
Other paper (g)	1
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	22
Wood (g)	0
Glass (g)	0
Others (g)	0