



MATERIAL FACT SHEET

283560 FX5-4DA-ADP

General Data

Product Hierarchy	IAD21703
	Compact PLC
	FX5 Intelligent Unit
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/0000000000000283560

FA-COM PLC: Analogue I/O Module

Series	MELSEC IQ-F SERIES
Type	ANALOG OUTPUT
Power Supply (V)	24
Current Type	DC
Integrated Analogue Outputs	4
Output Voltage Range (V)	-10-10; 0-10; 0-5; 1-5
Output Current Range (mA)	0-20; 4-20
Min. Ambient Temperature (°C)	0
Max. Ambient Temperature (°C)	55

Product Dimensions & Weight

Width (mm)	17,6
Height (mm)	106
Depth (mm)	89,1
Weight (kg)	0,1

Logistic Dimensions & Gross Weight

Length (cm)	11,5
Width (cm)	10,5
Height (cm)	4,5
Gross Weight (kg)	0,168
Volume (cdm)	0,543

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	23.02.2015
Predecessor	No Predecessor

Additional Product Information

Binding Tariff Information	DEBTI-40559/24-1
BTI validity date	01.12.2027
Battery included	NO

Export Data

Commodity Code	85389099
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT

WEEE	B2B
------	-----

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,KR,LR,NK,RINA
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2f94&q=FX5-4DA-ADP&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=FX5-4DA-ADP&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=FX5-4DA-ADP&doc-lang=en

Product Packaging

Cardboard (g)	52,5
Other paper (g)	12,7
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	0

Spare parts

Material	Description	Quantity	Unit
487742	FX5-4AD/DA-ADP TERMINAL BLOCK	1	PC

Compatible products

Material	Description / Price List Text / Classification
104509	FX2NC-100MPCB PLC, FX Series Power supply cable for FX2NC base unit, 1 m Class 100100110: FA-COM PLC: Cable



MATERIAL FACT SHEET

325715 FX5-4DA

General Data

Product Hierarchy	IAD21703
	Compact PLC
	FX5 Intelligent Unit
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_I/A/EUR/en/p/000000000000325715

FA-COM PLC: Analogue I/O Module

Series	MELSEC IQ-F SERIES
Type	ANALOG OUTPUT
Power Supply (V)	24
Current Type	DC
Integrated Analogue Outputs	4
Output Voltage Range (V)	-10-10; 0-10; 0-5; 1-5
Output Current Range (mA)	0-20; 4-20
Min. Ambient Temperature (°C)	0
Max. Ambient Temperature (°C)	55

Product Dimensions & Weight

Width (mm)	40
Height (mm)	90
Depth (mm)	102,2
Weight (kg)	0,2

Logistic Dimensions & Gross Weight

Length (cm)	10,0
Width (cm)	12,5
Height (cm)	13,5
Gross Weight (kg)	0,263
Volume (cdm)	1,688

Stock Data

Planned Delivery Time (Days)	58
------------------------------	----

Life Cycle

Sales Start	01.01.2018
Predecessor	No Predecessor

Additional Product Information

Binding Tariff Information	DEBTI-40559/24-1
BTI validity date	01.12.2027
Battery included	NO

Export Data

Commodity Code	85389099
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT

WEEE	B2B
------	-----

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=FX5-4DA&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=FX5-4DA&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=FX5-4DA&doc-lang=en

Product Packaging

Cardboard (g)	60
Other paper (g)	34
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	0

Spare parts

Material	Description	Quantity	Unit
487742	FX5-4AD/DA-ADP TERMINAL BLOCK	1	PC