GBH 18 V-18 PROFESSIONAL

CORDLESS ROTARY HAMMER WITH SDS PLUS



Rotary hammer with optimised power-to-weight ratio in the SDS plus cordless category

- Features balanced power-to-weight ratio delivering 1.7 J of impact energy and weighing only 2.6 kg
- Lightweight and compact design enables overhead drilling
- Durable due to robust components and brushless motor

Functions & key features





TECHNICAL DATA



Impact energy*

1.7 J

Impact rate at rated speed*

0 - 4,550 bpm

Rated speed*

0 - 1,400 rpm

Battery voltage*

18.0 V

Tool holder

SDS plus

Packaging dimensions (width x length x height)**

242 x 320 x 110 mm

Weight incl. battery*

2.6 kg

Drilling range

Drilling dia. in concrete with hammer drill bits

4 – 18 mm

Opt. app. range in concrete with hammer drill bits

4 – 10 mm

Total vibration values (Hammer drilling in concrete)

Vibration emission value ah

16 m/s²

Uncertainty K

1.5 m/s²

Total vibration values (Drilling in metal)

Vibration emission value ah

2.5 m/s²

Uncertainty K

1.5 m/s²

Total vibration values (Screwdriving)

Vibration emission value ah

 2.5 m/s^2

Uncertainty K

1.5 m/s²