



MATERIAL FACT SHEET

140380 QC05B

General Data

Product Hierarchy	IAD50702
	Modular PLC
	Q-Single
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000140380

FA-MOD PLC: Cable

Series	MELSEC-Q SERIES
Type	EXTENSION CABLE
Cable Length (m)	0,45

Logistic Dimensions & Gross Weight

Length (cm)	32,0
Width (cm)	22,0
Height (cm)	3,5
Gross Weight (kg)	0,238
Volume (cdm)	2,464

Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

Life Cycle

Sales Start	11.12.2001
Predecessor	24979 / A1SC01B

Additional Product Information

Battery included	NO
------------------	----

Export Data

Commodity Code	85444290
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	123-77-3
REACH Substance CAS Number (2)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=QC05B&doc-lang=en
----------------------	---

Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=QC05B&doc-lang=en
----------------------------	---

Product Packaging

Cardboard (g)	100
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	1
Wood (g)	0
Glass (g)	0
Others (g)	0



MATERIAL FACT SHEET

129591 QC06B

General Data

Product Hierarchy	IAD50702
	Modular PLC
	Q-Single
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000129591

FA-MOD PLC: Cable

Series	MELSEC-Q SERIES
Type	EXTENSION CABLE
Cable Length (m)	0,6

Logistic Dimensions & Gross Weight

Length (cm)	32,0
Width (cm)	22,0
Height (cm)	3,5
Gross Weight (kg)	0,260
Volume (cdm)	2,464

Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

Life Cycle

Sales Start	22.05.2000
Predecessor	No Predecessor

Additional Product Information

Battery included	NO
------------------	----

Export Data

Commodity Code	85444290
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	123-77-3
REACH Substance CAS Number (2)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=QC06B&doc-lang=en
----------------------	---

Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=QC06B&doc-lang=en
----------------------------	---

Product Packaging

Cardboard (g)	100
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	1
Wood (g)	0
Glass (g)	0
Others (g)	0



MATERIAL FACT SHEET

129642 QC12B

General Data

Product Hierarchy	IAD50702
	Modular PLC
	Q-Single
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000129642

FA-MOD PLC: Cable

Series	MELSEC-Q SERIES
Type	EXTENSION CABLE
Cable Length (m)	1,2

Logistic Dimensions & Gross Weight

Length (cm)	32,0
Width (cm)	22,0
Height (cm)	3,5
Gross Weight (kg)	0,320
Volume (cdm)	2,464

Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

Life Cycle

Sales Start	22.05.2000
Predecessor	24981 / A1SC12B

Additional Product Information

Battery included	NO
------------------	----

Export Data

Commodity Code	85444290
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	123-77-3
REACH Substance CAS Number (2)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK
UKCA	COMPLIANT


Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=QC12B&doc-lang=en
----------------------	---

Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=QC12B&doc-lang=en
----------------------------	---

Product Packaging

Cardboard (g)	100
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	1
Wood (g)	0
Glass (g)	0
Others (g)	0



MATERIAL FACT SHEET

129643 QC30B

General Data

Product Hierarchy	IAD50702
	Modular PLC
	Q-Single
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000129643

FA-MOD PLC: Cable

Series	MELSEC-Q SERIES
Type	EXTENSION CABLE
Cable Length (m)	3

Logistic Dimensions & Gross Weight

Length (cm)	32,0
Width (cm)	22,0
Height (cm)	3,5
Gross Weight (kg)	0,500
Volume (cdm)	2,464

Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

Life Cycle

Sales Start	22.05.2000
Predecessor	24982 / A1SC30B

Additional Product Information

Battery included	NO
------------------	----

Export Data

Commodity Code	85444290
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	123-77-3
REACH Substance CAS Number (2)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=QC30B&doc-lang=en
----------------------	---

Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=QC30B&doc-lang=en
----------------------------	---

Product Packaging

Cardboard (g)	100
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	1
Wood (g)	0
Glass (g)	0
Others (g)	0



MATERIAL FACT SHEET

129644 QC50B

General Data

Product Hierarchy	IAD50702
	Modular PLC
	Q-Single
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000129644

FA-MOD PLC: Cable

Series	MELSEC-Q SERIES
Type	EXTENSION CABLE
Cable Length (m)	5

Logistic Dimensions & Gross Weight

Length (cm)	30,5
Width (cm)	22,0
Height (cm)	6,0
Gross Weight (kg)	0,720
Volume (cdm)	4,026

Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

Life Cycle

Sales Start	22.05.2000
Predecessor	No Predecessor

Additional Product Information

Battery included	NO
------------------	----

Export Data

Commodity Code	85444290
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	123-77-3
REACH Substance CAS Number (2)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=QC50B&doc-lang=en
----------------------	---

Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=QC50B&doc-lang=en
----------------------------	---

Product Packaging

Cardboard (g)	170
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	1
Wood (g)	0
Glass (g)	0
Others (g)	0



MATERIAL FACT SHEET

129645 QC100B

General Data

Product Hierarchy	IAD50702
	Modular PLC
	Q-Single
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000129645

FA-MOD PLC: Cable

Series	MELSEC-Q SERIES
Type	EXTENSION CABLE
Cable Length (m)	10

Logistic Dimensions & Gross Weight

Length (cm)	35,0
Width (cm)	22,0
Height (cm)	8,0
Gross Weight (kg)	1,220
Volume (cdm)	6,160

Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

Life Cycle

Sales Start	23.05.2000
Predecessor	No Predecessor

Additional Product Information

Battery included	NO
------------------	----

Export Data

Commodity Code	85444290
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	123-77-3
REACH Substance CAS Number (2)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=QC100B&doc-lang=en
----------------------	---

Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=QC100B&doc-lang=en
----------------------------	---

Product Packaging

Cardboard (g)	135
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	1
Wood (g)	0
Glass (g)	0
Others (g)	0