



## MATERIAL FACT SHEET

132579 QD62

### General Data

Product Hierarchy	IAD50702
	Modular PLC
	Q-Single
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_IA/EUR/en/p/000000000000132579](https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000132579)

### FA-MOD PLC: Counter Module

Series	MELSEC-Q SERIES
Type	HIGH-SPEED COUNTER
Number of Channels	2
Int. Current Consumption (A)	0,3

### Product Dimensions & Weight

Width (mm)	27,4
Height (mm)	98
Depth (mm)	90
Weight (kg)	0,11

### Logistic Dimensions & Gross Weight

Length (cm)	14,0
Width (cm)	12,0
Height (cm)	4,5
Gross Weight (kg)	0,174
Volume (cdm)	0,756

### Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

### Life Cycle

Sales Start	07.11.2000
Predecessor	No Predecessor

### Additional Product Information

Battery included	NO
------------------	----

### Export Data

Commodity Code	85389099
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

### Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	<a href="#">7439-92-1</a>
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

### Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT

Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA
UKCA	COMPLIANT

### Documentation & Media Data

Manual URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2ff94&amp;q=QD62&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2ff94&amp;q=QD62&amp;doc-lang=en</a>
Certificates URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=QD62&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=QD62&amp;doc-lang=en</a>
CAD URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=QD62&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=QD62&amp;doc-lang=en</a>

### Product Packaging

Cardboard (g)	70
Other paper (g)	11
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	2
Wood (g)	0
Glass (g)	0
Others (g)	0



## MATERIAL FACT SHEET

132580 QD62D

### General Data

Product Hierarchy	IAD50702
	Modular PLC
	Q-Single
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_IA/EUR/en/p/000000000000132580](https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000132580)

### FA-MOD PLC: Counter Module

Series	MELSEC-Q SERIES
Type	HIGH-SPEED COUNTER
Number of Channels	2
Int. Current Consumption (A)	0,38

### Product Dimensions & Weight

Width (mm)	27,4
Height (mm)	98
Depth (mm)	90
Weight (kg)	0,11

### Logistic Dimensions & Gross Weight

Length (cm)	14,0
Width (cm)	12,0
Height (cm)	4,5
Gross Weight (kg)	0,180
Volume (cdm)	0,756

### Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

### Life Cycle

Sales Start	07.11.2000
Predecessor	No Predecessor

### Additional Product Information

Battery included	NO
------------------	----

### Export Data

Commodity Code	85389099
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

### Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	<a href="#">1303-86-2</a>
REACH Substance CAS Number (2)	<a href="#">1317-36-8</a>
REACH Substance CAS Number (3)	<a href="#">7439-92-1</a>
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

### Conformity

CE	COMPLIANT
----	-----------

UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA
UKCA	COMPLIANT

### Documentation & Media Data

Manual URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2ff94&amp;q=QD62D&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2ff94&amp;q=QD62D&amp;doc-lang=en</a>
Certificates URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=QD62D&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=QD62D&amp;doc-lang=en</a>
CAD URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=QD62D&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=QD62D&amp;doc-lang=en</a>

### Product Packaging

Cardboard (g)	70
Other paper (g)	11
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	2
Wood (g)	0
Glass (g)	0
Others (g)	0



## MATERIAL FACT SHEET

128949 QD62E

### General Data

Product Hierarchy	IAD50702
	Modular PLC
	Q-Single
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_IA/EUR/en/p/000000000000128949](https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000128949)

### FA-MOD PLC: Counter Module

Series	MELSEC-Q SERIES
Type	HIGH-SPEED COUNTER
Number of Channels	2
Int. Current Consumption (A)	0,33

### Product Dimensions & Weight

Width (mm)	27,4
Height (mm)	98
Depth (mm)	90
Weight (kg)	0,11

### Logistic Dimensions & Gross Weight

Length (cm)	14,0
Width (cm)	12,5
Height (cm)	5,0
Gross Weight (kg)	0,171
Volume (cdm)	0,875

### Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

### Life Cycle

Sales Start	17.04.2000
Predecessor	No Predecessor

### Additional Product Information

Battery included	NO
------------------	----

### Export Data

Commodity Code	85389099
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

### Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	<a href="#">7439-92-1</a>
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

### Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT

Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA
UKCA	COMPLIANT

### Documentation & Media Data

Manual URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2ff94&amp;q=QD62E&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2ff94&amp;q=QD62E&amp;doc-lang=en</a>
Certificates URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=QD62E&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=QD62E&amp;doc-lang=en</a>
CAD URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=QD62E&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=QD62E&amp;doc-lang=en</a>

### Product Packaging

Cardboard (g)	70
Other paper (g)	11
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	2
Wood (g)	0
Glass (g)	0
Others (g)	0



## MATERIAL FACT SHEET

213229 QD63P6

### General Data

Product Hierarchy	IAD50702
	Modular PLC
	Q-Single
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	C (Non-Stock Material / Make-to-Order)

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_IA/EUR/en/p/000000000000213229](https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000213229)

### FA-MOD PLC: Counter Module

Series	MELSEC-Q SERIES
Type	HIGH-SPEED COUNTER
Number of Channels	6
Int. Current Consumption (A)	0,59

### Product Dimensions & Weight

Width (mm)	27,4
Height (mm)	98
Depth (mm)	90
Weight (kg)	0,15

### Logistic Dimensions & Gross Weight

Length (cm)	14,0
Width (cm)	12,0
Height (cm)	5,0
Gross Weight (kg)	0,200
Volume (cdm)	0,840

### Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

### Life Cycle

Sales Start	20.04.2008
Predecessor	No Predecessor

### Additional Product Information

Battery included	NO
------------------	----

### Export Data

Commodity Code	85389099
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

### Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	<a href="#">7439-92-1</a>
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

### Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT

Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA
UKCA	COMPLIANT

### Documentation & Media Data

Manual URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2ff94&amp;q=QD63P6&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2ff94&amp;q=QD63P6&amp;doc-lang=en</a>
Certificates URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=QD63P6&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=QD63P6&amp;doc-lang=en</a>
CAD URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=QD63P6&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=QD63P6&amp;doc-lang=en</a>

### Product Packaging

Cardboard (g)	70
Other paper (g)	11
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	2
Wood (g)	0
Glass (g)	0
Others (g)	0





## MATERIAL FACT SHEET

278855 QD64D2

### General Data

Product Hierarchy	IAD50702
	Modular PLC
	Q-Single
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	C (Non-Stock Material / Make-to-Order)

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_IA/EUR/en/p/000000000000278855](https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000278855)

### FA-MOD PLC: Counter Module

Series	MELSEC-Q SERIES
Type	HIGH-SPEED COUNTER
Number of Channels	2
Int. Current Consumption (A)	0,53

### Product Dimensions & Weight

Width (mm)	27,4
Height (mm)	98
Depth (mm)	90
Weight (kg)	0,16

### Logistic Dimensions & Gross Weight

Length (cm)	13,5
Width (cm)	12,0
Height (cm)	5,0
Gross Weight (kg)	0,201
Volume (cdm)	0,810

### Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

### Life Cycle

Sales Start	12.11.2014
Predecessor	No Predecessor

### Additional Product Information

Battery included	NO
------------------	----

### Export Data

Commodity Code	85389099
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

### Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

### Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA

UKCA	COMPLIANT
------	-----------

### Documentation & Media Data

Manual URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2ff94&amp;q=QD64D2&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2ff94&amp;q=QD64D2&amp;doc-lang=en</a>
Certificates URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=QD64D2&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=QD64D2&amp;doc-lang=en</a>
CAD URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=QD64D2&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=QD64D2&amp;doc-lang=en</a>

### Product Packaging

Cardboard (g)	70
Other paper (g)	11
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	2
Wood (g)	0
Glass (g)	0
Others (g)	0



## MATERIAL FACT SHEET

### 245113 QD65PD2

#### General Data

Product Hierarchy	IAD50702
	Modular PLC
	Q-Single
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	C (Non-Stock Material / Make-to-Order)

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_IA/EUR/en/p/000000000000245113](https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000245113)

#### FA-MOD PLC: Counter Module

Series	MELSEC-Q SERIES
Type	HIGH-SPEED COUNTER
Number of Channels	2
Int. Current Consumption (A)	0,23

#### Product Dimensions & Weight

Width (mm)	27,4
Height (mm)	98
Depth (mm)	90
Weight (kg)	0,15

#### Logistic Dimensions & Gross Weight

Length (cm)	5,4
Width (cm)	11,1
Height (cm)	14,5
Gross Weight (kg)	0,181
Volume (cdm)	0,869

#### Stock Data

Planned Delivery Time (Days)	136
------------------------------	-----

#### Life Cycle

Sales Start	20.10.2011
Predecessor	No Predecessor

#### Additional Product Information

Battery included	NO
------------------	----

#### Export Data

Commodity Code	85389099
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

#### Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	<a href="#">12060-00-3</a>
REACH Substance CAS Number (2)	<a href="#">7439-92-1</a>
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

#### Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT

EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA
UKCA	COMPLIANT

### Documentation & Media Data

Manual URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2ff94&amp;q=QD65PD2&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2ff94&amp;q=QD65PD2&amp;doc-lang=en</a>
Certificates URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blf8050dd1408c11cc2&amp;q=QD65PD2&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blf8050dd1408c11cc2&amp;q=QD65PD2&amp;doc-lang=en</a>

### Product Packaging

Cardboard (g)	70
Other paper (g)	11
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	2
Wood (g)	0
Glass (g)	0
Others (g)	0