

Product data sheet

Specifications



13A 250V - straight plug - 3 flat pin - IP66 (Grey)

S56P313GY_G15

Main

Range	WPS
Device short name	56 series
Product or component type	Plug
Outlet standard description	Flat pin
Colour tint	Light grey

Complementary

Plug, socket, control station shape	Straight
Rated current	13 A at 250 V AC
Poles description	3P
Material	Plastic
Colour code	GY

Environment

IP degree of protection	IP66
Standards	GB/T 11918:2001

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8 cm
Package 1 Width	9.5 cm
Package 1 Length	9.6 cm
Package 1 Weight	177.778 g
Unit Type of Package 2	CAR
Number of Units in Package 2	45
Package 2 Height	23.8 cm
Package 2 Width	34.2 cm
Package 2 Length	39 cm
Package 2 Weight	8000 g
Unit Type of Package 3	P12
Number of Units in Package 3	810

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Height	130 cm
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	162000 g

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
REACH Regulation	REACH Declaration

Use Again

Repack and remanufacture	
End of life manual availability	No need of specific recycling operations
Take-back	No

Product data sheet

Specifications



15A 250V - straight plug - 3 flat pin - IP66 (Grey)

S56P315GY_G15

Main

Range	WPS
Device short name	56 series
Product or component type	Plug
Outlet standard description	Flat pin
Colour tint	Light grey

Complementary

Plug, socket, control station shape	Straight
Rated current	15 A at 250 V AC
Poles description	3P
Material	Plastic
Colour code	GY

Environment

IP degree of protection	IP66
Standards	AS/NZ 3112:2001

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	11.2 cm
Package 1 Width	6.7 cm
Package 1 Length	6.7 cm
Package 1 Weight	110 g

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

 Environmental footprint	
Environmental Disclosure	Product Environmental Profile

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
REACH Regulation	REACH Declaration

Use Again

 Repack and remanufacture	
End of life manual availability	No need of specific recycling operations
Take-back	No

Product data sheet

Specifications



20A 250V - straight plug - 3 round pin - IP66 (Orange)

S56P320EO_G15

Main

Range	WPS
Device short name	56 series
Product or component type	Plug
Outlet standard description	Round pin
Colour tint	Orange (RAL 1014)

Complementary

Plug, socket, control station shape	Straight
Rated current	20 A at 250 V AC
Poles description	3P
Material	Plastic
Colour code	EO

Environment

IP degree of protection	IP66
Standards	AS/NZ 3112:2001

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	10.0 cm
Package 1 Width	10.0 cm
Package 1 Length	10.0 cm
Package 1 Weight	0.29 kg

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
REACH Regulation	REACH Declaration

Use Again

 Repack and remanufacture	
Take-back	No

Product data sheet

Specifications



32A 250V - straight plug - 3 round pin - IP66 (Grey)

S56P332GY_G15

Main

Range	WPS
Device short name	56 series
Product or component type	Plug
Outlet standard description	Round pin
Colour tint	Light grey

Complementary

Plug, socket, control station shape	Straight
Rated current	32 A at 250 V AC
Poles description	3P
Material	Plastic
Colour code	GY

Environment

IP degree of protection	IP66
Standards	AS/NZ 3112:2001

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	19.6 cm
Package 1 Width	9 cm
Package 1 Length	9 cm
Package 1 Weight	391 g
Unit Type of Package 2	CAR
Number of Units in Package 2	20
Package 2 Height	18.5 cm
Package 2 Width	39.5 cm
Package 2 Length	46 cm
Package 2 Weight	7820 g
Unit Type of Package 3	P12
Number of Units in Package 3	880

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Height	130 cm
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	362080 g

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
REACH Regulation	REACH Declaration

Use Again

Repack and remanufacture	
End of life manual availability	No need of specific recycling operations
Take-back	No

Product data sheet

Specifications



32A 500V - straight plug - 4 round pin - IP66 (Orange)

S56P432EO_G15

Main

Range	WPS
Device short name	56 series
Product or component type	Plug
Outlet standard description	Round pin
Colour tint	Orange (RAL 1014)

Complementary

Plug, socket, control station shape	Straight
Rated current	32 A at 500 V AC
Poles description	3P + N
Material	Plastic
Colour code	EO

Environment

IP degree of protection	IP66
Standards	AS/NZ 3112:2001

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	19.6 cm
Package 1 Width	9 cm
Package 1 Length	9 cm
Package 1 Weight	391 g
Unit Type of Package 2	CAR
Number of Units in Package 2	20
Package 2 Height	18.5 cm
Package 2 Width	39.5 cm
Package 2 Length	46 cm
Package 2 Weight	7820 g
Unit Type of Package 3	P12
Number of Units in Package 3	880

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Height	130 cm
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	362080 g

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
REACH Regulation	REACH Declaration

Use Again

Repack and remanufacture	
End of life manual availability	No need of specific recycling operations
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins