



MATERIAL FACT SHEET

147273 Q32SB

General Data

Product Hierarchy	IAD50702
	Modular PLC
	Q-Single
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	C (Non-Stock Material / Make-to-Order)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_1A/EUR/en/p/000000000000147273

FA-MOD PLC: Base Rack

Series	MELSEC-Q SERIES
Type	MAIN BASE UNIT
Slots	2
Slots for Power Supply	1

Product Dimensions & Weight

Width (mm)	114
Height (mm)	98
Depth (mm)	18,5
Weight (kg)	0,12

Logistic Dimensions & Gross Weight

Length (cm)	26,0
Width (cm)	13,0
Height (cm)	4,0
Gross Weight (kg)	0,310
Volume (cdm)	1,352

Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

Life Cycle

Sales Start	11.01.2003
Predecessor	48370 / A1S32B-E

Additional Product Information

Binding Tariff Information	DEBTI-10683/21-1
BTI validity date	21.10.2024
Battery included	NO

Export Data

Commodity Code	85381000
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	12060-00-3
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
----	-----------

UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=Q32SB&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=Q32SB&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=Q32SB&doc-lang=en

Product Packaging

Cardboard (g)	180
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	4
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
129591	QC06B PLC Q Series 0.6 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129642	QC12B PLC Q Series 1.2 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129643	QC30B PLC Q Series 3.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129644	QC50B PLC Q Series 5.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129645	QC100B PLC Q Series 10.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129853	QG60 PLC Q Series Dummy Unit, Protection Care Class 100100215: FA-MOD PLC: Other Option
136368	Q6DIN3 PLC Q Series DIN rail mounting adapter for Q33B/Q63B Class 100100215: FA-MOD PLC: Other Option
140380	QC05B PLC Q Series 0.45 m extension rack cable for extensions w/o powersupply Class 100100214: FA-MOD PLC: Cable



MATERIAL FACT SHEET

136369 Q33B

General Data

Product Hierarchy	IAD50702
	Modular PLC
	Q-Single
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000136369

FA-MOD PLC: Base Rack

Series	MELSEC-Q SERIES
Type	MAIN BASE UNIT
Slots	3
Slots for Power Supply	1

Product Dimensions & Weight

Width (mm)	189
Height (mm)	98
Depth (mm)	44,1
Weight (kg)	0,21

Logistic Dimensions & Gross Weight

Length (cm)	37,0
Width (cm)	12,5
Height (cm)	6,0
Gross Weight (kg)	0,400
Volume (cdm)	2,775

Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

Life Cycle

Sales Start	28.05.2001
Predecessor	136406 / QA1S33B-E

Additional Product Information

Binding Tariff Information	DEBTI-10683/21-1
BTI validity date	21.10.2024
Battery included	NO

Export Data

Commodity Code	85381000
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	12060-00-3
REACH Substance CAS Number (2)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA
UKCA	COMPLIANT

Documentation & Media Data


Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt25c2bd5f2ff94&q=Q33B&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=Q33B&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=Q33B&doc-lang=en

Product Packaging

Cardboard (g)	135
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	7
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
129591	QC06B PLC Q Series 0.6 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129642	QC12B PLC Q Series 1.2 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129643	QC30B PLC Q Series 3.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129644	QC50B PLC Q Series 5.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129645	QC100B PLC Q Series 10.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129853	QG60 PLC Q Series Dummy Unit, Protection Care Class 100100215: FA-MOD PLC: Other Option
136368	Q6DIN3 PLC Q Series DIN rail mounting adapter for Q33B/Q63B Class 100100215: FA-MOD PLC: Other Option
140380	QC05B PLC Q Series 0.45 m extension rack cable for extensions w/o powersupply Class 100100214: FA-MOD PLC: Cable
308747	Q6DIN1A PLC Q Series DIN rail mounting adapter for Q38B/Q312B/Q68B/Q612B Class 100100215: FA-MOD PLC: Other Option



MATERIAL FACT SHEET

147284 Q33SB

General Data

Product Hierarchy	IAD50702
	Modular PLC
	Q-Single
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	C (Non-Stock Material / Make-to-Order)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000147284

FA-MOD PLC: Base Rack

Series	MELSEC-Q SERIES
Type	MAIN BASE UNIT
Slots	3
Slots for Power Supply	1

Product Dimensions & Weight

Width (mm)	142
Height (mm)	98
Depth (mm)	18,5
Weight (kg)	0,15

Logistic Dimensions & Gross Weight

Length (cm)	26,0
Width (cm)	13,0
Height (cm)	4,5
Gross Weight (kg)	0,340
Volume (cdm)	1,521

Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

Life Cycle

Sales Start	11.01.2003
Predecessor	No Predecessor

Additional Product Information

Binding Tariff Information	DEBTI-10683/21-1
BTI validity date	21.10.2024
Battery included	NO

Export Data

Commodity Code	85381000
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	12060-00-3
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
----	-----------

UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=Q33SB&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=Q33SB&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=Q33SB&doc-lang=en

Product Packaging

Cardboard (g)	0
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	4
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
129591	QC06B PLC Q Series 0.6 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129642	QC12B PLC Q Series 1.2 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129643	QC30B PLC Q Series 3.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129644	QC50B PLC Q Series 5.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129645	QC100B PLC Q Series 10.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129853	QG60 PLC Q Series Dummy Unit, Protection Care Class 100100215: FA-MOD PLC: Other Option
136368	Q6DIN3 PLC Q Series DIN rail mounting adapter for Q33B/Q63B Class 100100215: FA-MOD PLC: Other Option
140380	QC05B PLC Q Series 0.45 m extension rack cable for extensions w/o powersupply Class 100100214: FA-MOD PLC: Cable



MATERIAL FACT SHEET

127586 Q35B

General Data

Product Hierarchy	IAD50702
	Modular PLC
	Q-Single
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000127586

FA-MOD PLC: Base Rack

Series	MELSEC-Q SERIES
Type	MAIN BASE UNIT
Slots	5
Slots for Power Supply	1

Product Dimensions & Weight

Width (mm)	245
Height (mm)	98
Depth (mm)	44,1
Weight (kg)	0,25

Logistic Dimensions & Gross Weight

Length (cm)	37,0
Width (cm)	12,0
Height (cm)	6,0
Gross Weight (kg)	0,460
Volume (cdm)	2,664

Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

Life Cycle

Sales Start	07.01.2000
Predecessor	136407 / QA1S35B-E

Additional Product Information

Binding Tariff Information	DEBTI-10683/21-1
BTI validity date	21.10.2024
Battery included	NO

Export Data

Commodity Code	85381000
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	12060-00-3
REACH Substance CAS Number (2)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=Q35B&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=Q35B&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=Q35B&doc-lang=en

Product Packaging

Cardboard (g)	135
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	7
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
129591	QC06B PLC Q Series 0.6 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129642	QC12B PLC Q Series 1.2 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129643	QC30B PLC Q Series 3.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129644	QC50B PLC Q Series 5.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129645	QC100B PLC Q Series 10.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129674	Q6DIN2 PLC Q Series DIN rail mounting adapter for Q35B/Q65B Class 100100215: FA-MOD PLC: Other Option
129853	QG60 PLC Q Series Dummy Unit, Protection Care Class 100100215: FA-MOD PLC: Other Option
140380	QC05B PLC Q Series 0.45 m extension rack cable for extensions w/o powersupply Class 100100214: FA-MOD PLC: Cable
308747	Q6DIN1A PLC Q Series DIN rail mounting adapter for Q38B/Q312B/Q68B/Q612B Class 100100215: FA-MOD PLC: Other Option



MATERIAL FACT SHEET

249091 Q35DB

General Data

Product Hierarchy	IAD50702
	Modular PLC
	Q-Single
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000249091

FA-MOD PLC: Base Rack

Series	MELSEC-Q SERIES
Type	MAIN BASE UNIT
Slots	5
Slots for Power Supply	1

Product Dimensions & Weight

Width (mm)	245
Height (mm)	98
Depth (mm)	44,1
Weight (kg)	0,32

Logistic Dimensions & Gross Weight

Length (cm)	35,5
Width (cm)	12,0
Height (cm)	5,5
Gross Weight (kg)	0,509
Volume (cdm)	2,343

Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

Life Cycle

Sales Start	01.05.2012
Predecessor	86313 / A172B

Additional Product Information

Binding Tariff Information	DEBTI-10683/21-1
BTI validity date	21.10.2024
Battery included	NO

Export Data

Commodity Code	85381000
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	12060-00-3
REACH Substance CAS Number (2)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=Q35DB&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=Q35DB&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=Q35DB&doc-lang=en

Product Packaging

Cardboard (g)	135
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	7
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
129591	QC06B PLC Q Series 0.6 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129642	QC12B PLC Q Series 1.2 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129643	QC30B PLC Q Series 3.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129644	QC50B PLC Q Series 5.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129645	QC100B PLC Q Series 10.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129674	Q6DIN2 PLC Q Series DIN rail mounting adapter for Q35B/Q65B Class 100100215: FA-MOD PLC: Other Option
129853	QG60 PLC Q Series Dummy Unit, Protection Care Class 100100215: FA-MOD PLC: Other Option
140380	QC05B PLC Q Series 0.45 m extension rack cable for extensions w/o powersupply Class 100100214: FA-MOD PLC: Cable
308747	Q6DIN1A PLC Q Series DIN rail mounting adapter for Q38B/Q312B/Q68B/Q612B Class 100100215: FA-MOD PLC: Other Option



MATERIAL FACT SHEET

147285 Q35SB

General Data

Product Hierarchy	IAD50702
	Modular PLC
	Q-Single
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	C (Non-Stock Material / Make-to-Order)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000147285

FA-MOD PLC: Base Rack

Series	MELSEC-Q SERIES
Type	MAIN BASE UNIT
Slots	5
Slots for Power Supply	1

Product Dimensions & Weight

Width (mm)	197,5
Height (mm)	98
Depth (mm)	18,5
Weight (kg)	0,21

Logistic Dimensions & Gross Weight

Length (cm)	26,0
Width (cm)	13,0
Height (cm)	4,5
Gross Weight (kg)	0,400
Volume (cdm)	1,521

Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

Life Cycle

Sales Start	11.01.2003
Predecessor	No Predecessor

Additional Product Information

Binding Tariff Information	DEBTI-10683/21-1
BTI validity date	21.10.2024
Battery included	NO

Export Data

Commodity Code	85381000
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	12060-00-3
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
----	-----------

UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA
UKCA	COMPLIANT

Documentation & Media Data


Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=Q35SB&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=Q35SB&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=Q35SB&doc-lang=en

Product Packaging

Cardboard (g)	0
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	7
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
129591	QC06B PLC Q Series 0.6 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129642	QC12B PLC Q Series 1.2 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129643	QC30B PLC Q Series 3.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129644	QC50B PLC Q Series 5.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129645	QC100B PLC Q Series 10.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129853	QG60 PLC Q Series Dummy Unit, Protection Care Class 100100215: FA-MOD PLC: Other Option
136368	Q6DIN3 PLC Q Series DIN rail mounting adapter for Q33B/Q63B Class 100100215: FA-MOD PLC: Other Option
140380	QC05B PLC Q Series 0.45 m extension rack cable for extensions w/o powersupply Class 100100214: FA-MOD PLC: Cable



MATERIAL FACT SHEET

127624 Q38B

General Data

Product Hierarchy	IAD50702
	Modular PLC
	Q-Single
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000127624

FA-MOD PLC: Base Rack

Series	MELSEC-Q SERIES
Type	MAIN BASE UNIT
Slots	8
Slots for Power Supply	1

Product Dimensions & Weight

Width (mm)	328
Height (mm)	98
Depth (mm)	44,1
Weight (kg)	0,35

Logistic Dimensions & Gross Weight

Length (cm)	37,0
Width (cm)	12,5
Height (cm)	6,0
Gross Weight (kg)	0,420
Volume (cdm)	2,775

Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

Life Cycle

Sales Start	11.01.2003
Predecessor	130045 / QA1S38B-E
Successor	207608 / Q38DB

Additional Product Information

Binding Tariff Information	DEBTI-10683/21-1
BTI validity date	21.10.2024
Battery included	NO

Export Data

Commodity Code	85381000
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	12060-00-3
REACH Substance CAS Number (2)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=Q38B&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=Q38B&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=Q38B&doc-lang=en

Product Packaging

Cardboard (g)	135
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	9
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
129591	QC06B PLC Q Series 0.6 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129642	QC12B PLC Q Series 1.2 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129643	QC30B PLC Q Series 3.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129644	QC50B PLC Q Series 5.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129645	QC100B PLC Q Series 10.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129673	Q6DIN1 PLC Q Series DIN rail mounting adapter for Q38B/Q312B/Q68B/Q612B Class 100100215: FA-MOD PLC: Other Option
129853	QG60 PLC Q Series Dummy Unit, Protection Care Class 100100215: FA-MOD PLC: Other Option
140380	QC05B PLC Q Series 0.45 m extension rack cable for extensions w/o powersupply Class 100100214: FA-MOD PLC: Cable
308747	Q6DIN1A PLC Q Series DIN rail mounting adapter for Q38B/Q312B/Q68B/Q612B Class 100100215: FA-MOD PLC: Other Option



MATERIAL FACT SHEET

207608 Q38DB

General Data

Product Hierarchy	IAD50702
	Modular PLC
	Q-Single
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000207608

FA-MOD PLC: Base Rack

Series	MELSEC-Q SERIES
Type	MAIN BASE UNIT
Slots	8
Slots for Power Supply	1

Product Dimensions & Weight

Width (mm)	328
Height (mm)	98
Depth (mm)	44,1
Weight (kg)	0,41

Logistic Dimensions & Gross Weight

Length (cm)	35,0
Width (cm)	12,0
Height (cm)	6,0
Gross Weight (kg)	0,580
Volume (cdm)	2,520

Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

Life Cycle

Sales Start	14.09.2007
Predecessor	127624 / Q38B

Additional Product Information

Binding Tariff Information	DEBTI-10683/21-1
BTI validity date	21.10.2024
Battery included	NO

Export Data

Commodity Code	85381000
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	12060-00-3
REACH Substance CAS Number (2)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=Q38DB&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=Q38DB&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=Q38DB&doc-lang=en

Product Packaging

Cardboard (g)	135
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	9
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
129591	QC06B PLC Q Series 0.6 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129642	QC12B PLC Q Series 1.2 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129643	QC30B PLC Q Series 3.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129644	QC50B PLC Q Series 5.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129645	QC100B PLC Q Series 10.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129673	Q6DIN1 PLC Q Series DIN rail mounting adapter for Q38B/Q312B/Q68B/Q612B Class 100100215: FA-MOD PLC: Other Option
129853	QG60 PLC Q Series Dummy Unit, Protection Care Class 100100215: FA-MOD PLC: Other Option
140380	QC05B PLC Q Series 0.45 m extension rack cable for extensions w/o powersupply Class 100100214: FA-MOD PLC: Cable
308747	Q6DIN1A PLC Q Series DIN rail mounting adapter for Q38B/Q312B/Q68B/Q612B Class 100100215: FA-MOD PLC: Other Option



MATERIAL FACT SHEET

157067 Q38RB

General Data

Product Hierarchy	IAD50702
	Modular PLC
	Q-Single
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000157067

FA-MOD PLC: Base Rack

Series	MELSEC-Q SERIES
Type	MAIN BASE UNIT
Slots	8
Slots for Power Supply	2

Product Dimensions & Weight

Width (mm)	439
Height (mm)	98
Depth (mm)	44,1
Weight (kg)	0,45

Logistic Dimensions & Gross Weight

Length (cm)	48,0
Width (cm)	12,0
Height (cm)	6,0
Gross Weight (kg)	0,710
Volume (cdm)	3,456

Stock Data

Planned Delivery Time (Days)	136
------------------------------	-----

Life Cycle

Sales Start	18.08.2004
Predecessor	157573 / Q38RB-E

Additional Product Information

Binding Tariff Information	DEBTI-10683/21-1
BTI validity date	21.10.2024
Battery included	NO

Export Data

Commodity Code	85381000
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	12060-00-3
REACH Substance CAS Number (2)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA
UKCA	COMPLIANT

Documentation & Media Data


Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=Q38RB&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=Q38RB&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=Q38RB&doc-lang=en

Product Packaging

Cardboard (g)	295
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
129591	QC06B PLC Q Series 0.6 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129642	QC12B PLC Q Series 1.2 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129643	QC30B PLC Q Series 3.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129644	QC50B PLC Q Series 5.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129645	QC100B PLC Q Series 10.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129673	Q6DIN1 PLC Q Series DIN rail mounting adapter for Q38B/Q312B/Q68B/Q612B Class 100100215: FA-MOD PLC: Other Option
129853	QG60 PLC Q Series Dummy Unit, Protection Care Class 100100215: FA-MOD PLC: Other Option
140380	QC05B PLC Q Series 0.45 m extension rack cable for extensions w/o powersupply Class 100100214: FA-MOD PLC: Cable
308747	Q6DIN1A PLC Q Series DIN rail mounting adapter for Q38B/Q312B/Q68B/Q612B Class 100100215: FA-MOD PLC: Other Option



MATERIAL FACT SHEET

129566 Q312B

General Data

Product Hierarchy	IAD50702
	Modular PLC
	Q-Single
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000129566

FA-MOD PLC: Base Rack

Series	MELSEC-Q SERIES
Type	MAIN BASE UNIT
Slots	12
Slots for Power Supply	1

Product Dimensions & Weight

Width (mm)	439
Height (mm)	98
Depth (mm)	44,1
Weight (kg)	0,45

Logistic Dimensions & Gross Weight

Length (cm)	47,5
Width (cm)	12,5
Height (cm)	6,0
Gross Weight (kg)	0,700
Volume (cdm)	3,563

Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

Life Cycle

Sales Start	18.05.2000
Predecessor	No Predecessor

Additional Product Information

Binding Tariff Information	DEBTI-10683/21-1
BTI validity date	21.10.2024
Battery included	NO

Export Data

Commodity Code	85381000
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	12060-00-3
REACH Substance CAS Number (2)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=Q312B&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=Q312B&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=Q312B&doc-lang=en

Product Packaging

Cardboard (g)	295
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
129591	QC06B PLC Q Series 0.6 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129642	QC12B PLC Q Series 1.2 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129643	QC30B PLC Q Series 3.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129644	QC50B PLC Q Series 5.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129645	QC100B PLC Q Series 10.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129673	Q6DIN1 PLC Q Series DIN rail mounting adapter for Q38B/Q312B/Q68B/Q612B Class 100100215: FA-MOD PLC: Other Option
129853	QG60 PLC Q Series Dummy Unit, Protection Care Class 100100215: FA-MOD PLC: Other Option
140380	QC05B PLC Q Series 0.45 m extension rack cable for extensions w/o powersupply Class 100100214: FA-MOD PLC: Cable
308747	Q6DIN1A PLC Q Series DIN rail mounting adapter for Q38B/Q312B/Q68B/Q612B Class 100100215: FA-MOD PLC: Other Option



MATERIAL FACT SHEET

207609 Q312DB

General Data

Product Hierarchy	IAD50702
	Modular PLC
	Q-Single
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000207609

FA-MOD PLC: Base Rack

Series	MELSEC-Q SERIES
Type	MAIN BASE UNIT
Slots	12
Slots for Power Supply	1

Product Dimensions & Weight

Width (mm)	439
Height (mm)	98
Depth (mm)	44,1
Weight (kg)	0,54

Logistic Dimensions & Gross Weight

Length (cm)	47,0
Width (cm)	12,0
Height (cm)	6,0
Gross Weight (kg)	0,800
Volume (cdm)	3,384

Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

Life Cycle

Sales Start	14.09.2007
Predecessor	131239 / A178B-S2

Additional Product Information

Binding Tariff Information	DEBTI-10683/21-1
BTI validity date	21.10.2024
Battery included	NO

Export Data

Commodity Code	85381000
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	12060-00-3
REACH Substance CAS Number (2)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=Q312DB&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=Q312DB&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=Q312DB&doc-lang=en

Product Packaging

Cardboard (g)	295
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
129591	QC06B PLC Q Series 0.6 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129642	QC12B PLC Q Series 1.2 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129643	QC30B PLC Q Series 3.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129644	QC50B PLC Q Series 5.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129645	QC100B PLC Q Series 10.0 m extension rack cable Class 100100214: FA-MOD PLC: Cable
129673	Q6DIN1 PLC Q Series DIN rail mounting adapter for Q38B/Q312B/Q68B/Q612B Class 100100215: FA-MOD PLC: Other Option
129853	QG60 PLC Q Series Dummy Unit, Protection Care Class 100100215: FA-MOD PLC: Other Option
140380	QC05B PLC Q Series 0.45 m extension rack cable for extensions w/o powersupply Class 100100214: FA-MOD PLC: Cable
308747	Q6DIN1A PLC Q Series DIN rail mounting adapter for Q38B/Q312B/Q68B/Q612B Class 100100215: FA-MOD PLC: Other Option