



MATERIAL FACT SHEET

102961 FX2N-32CCL

General Data

Product Hierarchy	IAD21805
	Compact PLC
	FX2N
Ext. Material Group	10 DISCONTINUED
ABC Indicator	C (Non-Stock Material / Make-to-Order)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_JA/EUR/en/p/000000000000102961

FA-COM PLC: Network Module

Series	MELSEC-F SERIES
Type	LOCAL STATION
Network Interface	CC-LINK

Product Dimensions & Weight

Width (mm)	43
Height (mm)	90
Depth (mm)	87
Weight (kg)	0,3

Logistic Dimensions & Gross Weight

Length (cm)	14,0
Width (cm)	11,0
Height (cm)	10,0
Gross Weight (kg)	0,360
Volume (cdm)	1,540

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	14.03.1999
Discontinued (EOL)	01.09.2022
Last Time Buy (LTB)	30.09.2023
Last Time Purchase (LTP)	31.10.2023
End of Service (EOS)	31.12.2030
Predecessor	No Predecessor
Successor	312299 / FX5-CCL-MS

Additional Product Information

Binding Tariff Information	DEBTI-10857/21-1
BTI validity date	13.06.2024
Battery included	NO

Export Data

Commodity Code	85176200
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=FX2N-32CCL&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=FX2N-32CCL&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=FX2N-32CCL&doc-lang=en

Product Packaging

Cardboard (g)	38
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	0



MATERIAL FACT SHEET

222070 FX2N-64CL-M

General Data

Product Hierarchy	IAD21805
	Compact PLC
	FX2N
Ext. Material Group	10 EOL ANNOUNCED
ABC Indicator	C (Non-Stock Material / Make-to-Order)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_JA/EUR/en/p/000000000000222070

FA-COM PLC: Network Module

Series	MELSEC-F SERIES
Type	MASTER STATION
Network Interface	CC-LINK/LT

Product Dimensions & Weight

Width (mm)	43
Height (mm)	90
Depth (mm)	87
Weight (kg)	0,15

Logistic Dimensions & Gross Weight

Length (cm)	10,0
Width (cm)	10,0
Height (cm)	10,0
Gross Weight (kg)	0,178
Volume (cdm)	1,000

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	27.05.2009
Discontinued (EOL)	18.03.2021
Last Time Buy (LTB)	28.01.2025
Last Time Purchase (LTP)	28.02.2025
End of Service (EOS)	28.01.2032
Predecessor	86688 / FX2N-16LNK-M
Successor	290900 / FX3U-128ASL-M

Additional Product Information

Binding Tariff Information	DEBTI-10857/21-1
BTI validity date	13.06.2024
Battery included	NO

Export Data

Commodity Code	85176200
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=FX2N-64CL-M&doc-lang=en
----------------------	---

Product Packaging

Cardboard (g)	38
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	0



MATERIAL FACT SHEET

131708 FX2N-64DNET

General Data

Product Hierarchy	IAD21805
	Compact PLC
	FX2N
Ext. Material Group	10 EOL ANNOUNCED
ABC Indicator	C (Non-Stock Material / Make-to-Order)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000131708

FA-COM PLC: Network Module

Series	MELSEC-F SERIES
Type	LOCAL STATION
Network Interface	DEVICENET

Product Dimensions & Weight

Width (mm)	43
Height (mm)	90
Depth (mm)	87
Weight (kg)	0,2

Logistic Dimensions & Gross Weight

Length (cm)	14,0
Width (cm)	11,0
Height (cm)	10,0
Gross Weight (kg)	0,340
Volume (cdm)	1,540

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	06.10.2000
Discontinued (EOL)	05.01.2024
Last Time Buy (LTB)	30.11.2024
Last Time Purchase (LTP)	31.12.2024
End of Service (EOS)	30.11.2031
Predecessor	No Predecessor

Additional Product Information

Binding Tariff Information	DEBTI-10857/21-1
BTI validity date	13.06.2024
Battery included	NO

Export Data

Commodity Code	85176200
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2f94&q=FX2N-64DNET&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=FX2N-64DNET&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=FX2N-64DNET&doc-lang=en

Product Packaging

Cardboard (g)	71
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	0



MATERIAL FACT SHEET

248224 FX3U-16CCL-M

General Data

Product Hierarchy	IAD213
	Compact PLC
	FX3U
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000248224

FA-COM PLC: Network Module

Series	MELSEC-F SERIES
Type	MASTER STATION
Network Interface	CC-LINK

Product Dimensions & Weight

Width (mm)	55
Height (mm)	90
Depth (mm)	87
Weight (kg)	0,3

Logistic Dimensions & Gross Weight

Length (cm)	9,5
Width (cm)	9,5
Height (cm)	10,0
Gross Weight (kg)	0,315
Volume (cdm)	0,903

Stock Data

Planned Delivery Time (Days)	156
------------------------------	-----

Life Cycle

Sales Start	21.03.2011
Predecessor	133596 / FX2N-16CCL-M

Additional Product Information

Binding Tariff Information	DEBTI-10857/21-1
BTI validity date	13.06.2024
Battery included	NO

Export Data

Commodity Code	85176200
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	NON-COMPLIANT
EAC	COMPLIANT

UKCA	COMPLIANT
------	-----------

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=FX3U-16CCL-M&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=FX3U-16CCL-M&doc-lang=en

Product Packaging

Cardboard (g)	38
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	0

Spare parts

Material	Description	Quantity	Unit
598693	FX3U-16CCL-M COVER TOP	1	PC

Compatible products

Material	Description / Price List Text / Classification
244214	FANC-110SBH(100M) Cable; CC-Link ver 1.10; shielded; 100m Class 100100214: FA-MOD PLC: Cable
323404	FANC-110SBH(200M) Cable; CC-Link ver 1.10; shielded; 200m Class 100100214: FA-MOD PLC: Cable
323405	FANC-110SBH(50M) Cable; CC-Link ver 1.10; shielded; 50m Class 100100214: FA-MOD PLC: Cable



MATERIAL FACT SHEET

194214 FX3U-32DP

General Data

Product Hierarchy	IAD213
	Compact PLC
	FX3U
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_JA/EUR/en/p/000000000000194214

FA-COM PLC: Network Module

Series	MELSEC-F SERIES
Type	LOCAL STATION
Network Interface	PROFIBUS-DP

Product Dimensions & Weight

Width (mm)	43
Height (mm)	90
Depth (mm)	89
Weight (kg)	0,2

Logistic Dimensions & Gross Weight

Length (cm)	24,0
Width (cm)	16,0
Height (cm)	9,0
Gross Weight (kg)	0,393
Volume (cdm)	3,456

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	09.01.2007
Predecessor	62125 / FX0N-32NT-DP

Additional Product Information

Binding Tariff Information	DEBTI-10857/21-1
BTI validity date	13.06.2024
Battery included	NO

Export Data

Commodity Code	85176200
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT

Shipping Approvals	DNV GL,LR
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=FX3U-32DP&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=FX3U-32DP&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=FX3U-32DP&doc-lang=en

Product Packaging

Cardboard (g)	203
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
140008	PROFICON-PLUS PLC Profibus connector with termination resistor Class 100100304: FA-HMI: Other Option



MATERIAL FACT SHEET

217915 FX3U-64CCL

General Data

Product Hierarchy	IAD213
	Compact PLC
	FX3U
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/00000000000217915

FA-COM PLC: Network Module

Series	MELSEC-F SERIES
Type	LOCAL STATION
Network Interface	CC-LINK

Product Dimensions & Weight

Width (mm)	55
Height (mm)	90
Depth (mm)	87
Weight (kg)	0,3

Logistic Dimensions & Gross Weight

Length (cm)	9,5
Width (cm)	9,5
Height (cm)	9,5
Gross Weight (kg)	0,312
Volume (cdm)	0,857

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	25.11.2008
Predecessor	No Predecessor

Additional Product Information

Binding Tariff Information	DEBTI-10857/21-1
BTI validity date	13.06.2024
Battery included	NO

Export Data

Commodity Code	85176200
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	NON-COMPLIANT
EAC	COMPLIANT

UKCA	COMPLIANT
------	-----------

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=FX3U-64CCL&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=FX3U-64CCL&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=FX3U-64CCL&doc-lang=en

Product Packaging

Cardboard (g)	37,9
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
244214	FANC-110SBH(100M) Cable; CC-Link ver 1.10; shielded; 100m Class 100100214: FA-MOD PLC: Cable
323404	FANC-110SBH(200M) Cable; CC-Link ver 1.10; shielded; 200m Class 100100214: FA-MOD PLC: Cable
323405	FANC-110SBH(50M) Cable; CC-Link ver 1.10; shielded; 50m Class 100100214: FA-MOD PLC: Cable



MATERIAL FACT SHEET

166085 FX3U-64DP-M

General Data

Product Hierarchy	IAD213
	Compact PLC
	FX3U
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000166085

FA-COM PLC: Network Module

Series	MELSEC-F SERIES
Type	MASTER STATION
Network Interface	PROFIBUS-DP

Product Dimensions & Weight

Width (mm)	43
Height (mm)	90
Depth (mm)	87
Weight (kg)	0,2

Logistic Dimensions & Gross Weight

Length (cm)	10,0
Width (cm)	10,0
Height (cm)	9,0
Gross Weight (kg)	0,207
Volume (cdm)	0,900

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	15.11.2005
Predecessor	141644 / FX2N-64DP-M

Additional Product Information

Binding Tariff Information	DEBTI-10857/21-1
BTI validity date	13.06.2024
Battery included	NO

Export Data

Commodity Code	85176200
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT

Shipping Approvals	DNV GL,LR
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=FX3U-64DP-M&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=FX3U-64DP-M&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=FX3U-64DP-M&doc-lang=en

Product Packaging

Cardboard (g)	38
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
140008	PROFICON-PLUS PLC Profibus connector with termination resistor Class 100100304: FA-HMI: Other Option



MATERIAL FACT SHEET

290900 FX3U-128ASL-M

General Data

Product Hierarchy	IAD213
	Compact PLC
	FX3U
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	C (Non-Stock Material / Make-to-Order)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_1A/EUR/en/p/00000000000290900

FA-COM PLC: Network Module

Series	MELSEC-F SERIES
Type	MASTER STATION
Network Interface	ANYWIREASLINK

Product Dimensions & Weight

Width (mm)	43
Height (mm)	90
Depth (mm)	95,5
Weight (kg)	0,2

Logistic Dimensions & Gross Weight

Length (cm)	14,0
Width (cm)	11,0
Height (cm)	14,0
Gross Weight (kg)	0,245
Volume (cdm)	2,156

Stock Data

Planned Delivery Time (Days)	58
------------------------------	----

Life Cycle

Sales Start	25.09.2015
Predecessor	230105 / FX3UC-32MT-LT-2

Additional Product Information

Binding Tariff Information	DEBTI-10857/21-1
BTI validity date	13.06.2024
Battery included	YES - CHECK SPARE PART LIST

Export Data

Commodity Code	85176200
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2f94&q=FX3U-128ASL-M&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=FX3U-128ASL-M&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=FX3U-128ASL-M&doc-lang=en

Product Packaging

Cardboard (g)	71
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	0



MATERIAL FACT SHEET

252845 FX3U-CAN

General Data

Product Hierarchy	IAD213
	Compact PLC
	FX3U
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/00000000000252845

FA-COM PLC: Network Module

Series	MELSEC-F SERIES
Type	NODE
Network Interface	CANOPEN

Product Dimensions & Weight

Width (mm)	43
Height (mm)	90
Depth (mm)	87
Weight (kg)	0,2

Logistic Dimensions & Gross Weight

Length (cm)	10,0
Width (cm)	9,8
Height (cm)	9,4
Gross Weight (kg)	0,207
Volume (cdm)	0,921

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	04.09.2012
Predecessor	141179 / FX2N-32CAN

Additional Product Information

Binding Tariff Information	DEBTI-10857/21-1
BTI validity date	13.06.2024
Battery included	NO

Export Data

Commodity Code	85176200
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT

Shipping Approvals	ABS,BV,DNV,GL,LR,NK,RINA,KR
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=FX3U-CAN&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=FX3U-CAN&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=FX3U-CAN&doc-lang=en
Network configuration file URL	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blte8cf990c7c524b4e&q=FX3U-CAN&doc-lang=en

Product Packaging

Cardboard (g)	38
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	0



MATERIAL FACT SHEET

166086 FX3U-ENET

General Data

Product Hierarchy	IAD213
	Compact PLC
	FX3U
Ext. Material Group	10 EOL ANNOUNCED
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000166086

FA-COM PLC: Network Module

Series	MELSEC-F SERIES
Type	MASTER/LOCAL STATION
Network Interface	ETHERNET

Product Dimensions & Weight

Width (mm)	55
Height (mm)	90
Depth (mm)	87
Weight (kg)	0,3

Logistic Dimensions & Gross Weight

Length (cm)	10,0
Width (cm)	10,0
Height (cm)	9,0
Gross Weight (kg)	0,295
Volume (cdm)	0,900

Stock Data

Planned Delivery Time (Days)	58
------------------------------	----

Life Cycle

Sales Start	15.11.2005
Discontinued (EOL)	06.10.2023
Last Time Buy (LTB)	30.11.2024
Last Time Purchase (LTP)	31.12.2024
End of Service (EOS)	31.03.2032
Predecessor	No Predecessor

Additional Product Information

Binding Tariff Information	DEBTI-10857/21-1
BTI validity date	13.06.2024
Battery included	NO

Export Data

Commodity Code	85176200
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
Shipping Approvals	ABS,DNV,LR
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=FX3U-ENET&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=FX3U-ENET&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=FX3U-ENET&doc-lang=en

Product Packaging

Cardboard (g)	38
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
697551	IE-C6A-0.2m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 0.2m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697582	IE-C6A-0.5m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 0.5m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697583	IE-C6A-1.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 1.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697584	IE-C6A-2.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 2.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697585	IE-C6A-5.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 5.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697586	IE-C6A-10.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 10.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697587	IE-C6A-15.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 15.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697588	IE-C6A-20.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 20.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697589	IE-C6A-25.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 25.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697590	IE-CB-1piece CC-Link Bending tool for Patch Cable, RJ45, 1 piece, 90°Deg radius Class 100100215: FA-MOD PLC: Other Option
697591	IE-C6A-CON-10pcs CC-Link IE Certified Patch Cable connector, easy clip, RJ45, Cat.6A, 10pcs box Class 100100215: FA-MOD PLC: Other Option
717285	EDS-G2008-EL 8Port Entry-level Unmanaged Switch,10/100/1000BaseT(X),CCLink IE Field/TSN Cl. A Class 100100211: FA-MOD PLC: Network Module
717286	EDS-G2005-EL 5Port Entry-level Unmanaged Switch,10/100/1000BaseT(X),CCLink IE Field/TSN Cl. A Class 100100211: FA-MOD PLC: Network Module



MATERIAL FACT SHEET

248844 FX3U-ENET-ADP

General Data

Product Hierarchy	IAD213
	Compact PLC
	FX3U
Ext. Material Group	10 EOL ANNOUNCED
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000248844

FA-COM PLC: Network Module

Series	MELSEC-F SERIES
Type	MASTER/LOCAL STATION
Network Interface	ETHERNET

Product Dimensions & Weight

Width (mm)	81,5
Height (mm)	90
Depth (mm)	23
Weight (kg)	0,1

Logistic Dimensions & Gross Weight

Length (cm)	11,5
Width (cm)	11,0
Height (cm)	4,5
Gross Weight (kg)	0,147
Volume (cdm)	0,569

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	18.04.2012
Discontinued (EOL)	06.10.2023
Last Time Buy (LTB)	30.11.2024
Last Time Purchase (LTP)	31.12.2024
End of Service (EOS)	31.03.2032
Predecessor	157447 / FX2NC-ENET-ADP

Additional Product Information

Binding Tariff Information	DEBTI-10857/21-1
BTI validity date	13.06.2024
Battery included	NO

Export Data

Commodity Code	85176200
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=FX3U-ENET-ADP&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=FX3U-ENET-ADP&doc-lang=en

Product Packaging

Cardboard (g)	51
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
697551	IE-C6A-0.2m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 0.2m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697582	IE-C6A-0.5m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 0.5m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697583	IE-C6A-1.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 1.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697584	IE-C6A-2.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 2.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697585	IE-C6A-5.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 5.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697586	IE-C6A-10.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 10.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697587	IE-C6A-15.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 15.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697588	IE-C6A-20.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 20.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697589	IE-C6A-25.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 25.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697590	IE-CB-1piece CC-Link Bending tool for Patch Cable, RJ45, 1 piece, 90°Deg radius Class 100100215: FA-MOD PLC: Other Option
697591	IE-C6A-CON-10pcs CC-Link IE Certified Patch Cable connector, easy clip, RJ45, Cat.6A, 10pcs box Class 100100215: FA-MOD PLC: Other Option
717285	EDS-G2008-EL 8Port Entry-level Unmanaged Switch,10/100/1000BaseT(X),CCLink IE Field/TSN Cl. A Class 100100211: FA-MOD PLC: Network Module
717286	EDS-G2005-EL 5Port Entry-level Unmanaged Switch,10/100/1000BaseT(X),CCLink IE Field/TSN Cl. A Class 100100211: FA-MOD PLC: Network Module



MATERIAL FACT SHEET

225142 FX3U-ENET-P502

General Data

Product Hierarchy	IAD213
	Compact PLC
	FX3U
Ext. Material Group	10 EOL ANNOUNCED
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000225142

FA-COM PLC: Network Module

Series	MELSEC-F SERIES
Type	MASTER/LOCAL STATION
Network Interface	ETHERNET

Product Dimensions & Weight

Width (mm)	55
Height (mm)	90
Depth (mm)	87
Weight (kg)	0,3

Logistic Dimensions & Gross Weight

Length (cm)	9,5
Width (cm)	9,5
Height (cm)	9,0
Gross Weight (kg)	0,290
Volume (cdm)	0,812

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	17.06.2009
Discontinued (EOL)	06.10.2023
Last Time Buy (LTB)	30.11.2024
Last Time Purchase (LTP)	31.12.2024
End of Service (EOS)	31.03.2032
Predecessor	No Predecessor

Additional Product Information

Binding Tariff Information	DEBTI-10857/21-1
BTI validity date	13.06.2024
Battery included	NO

Export Data

Commodity Code	85176200
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=FX3U-ENET-P502&doc-lang=en
----------------------	---

Product Packaging

Cardboard (g)	38
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
697551	IE-C6A-0.2m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 0.2m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697582	IE-C6A-0.5m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 0.5m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697583	IE-C6A-1.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 1.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697584	IE-C6A-2.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 2.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697585	IE-C6A-5.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 5.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697586	IE-C6A-10.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 10.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697587	IE-C6A-15.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 15.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697588	IE-C6A-20.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 20.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697589	IE-C6A-25.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 25.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697590	IE-CB-1piece CC-Link Bending tool for Patch Cable, RJ45, 1 piece, 90°Deg radius Class 100100215: FA-MOD PLC: Other Option
697591	IE-C6A-CON-10pcs CC-Link IE Certified Patch Cable connector, easy clip, RJ45, Cat.6A, 10pcs box Class 100100215: FA-MOD PLC: Other Option
717285	EDS-G2008-EL 8Port Entry-level Unmanaged Switch,10/100/1000BaseT(X),CCLink IE Field/TSN Cl. A Class 100100211: FA-MOD PLC: Network Module
717286	EDS-G2005-EL 5Port Entry-level Unmanaged Switch,10/100/1000BaseT(X),CCLink IE Field/TSN Cl. A Class 100100211: FA-MOD PLC: Network Module



MATERIAL FACT SHEET

254276 FX3U-J1939

General Data

Product Hierarchy	IAD213
	Compact PLC
	FX3U
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	C (Non-Stock Material / Make-to-Order)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_1A/EUR/en/p/000000000000254276

FA-COM PLC: Network Module

Series	MELSEC-F SERIES
Type	MASTER STATION
Network Interface	J1939

Product Dimensions & Weight

Width (mm)	43
Height (mm)	90
Depth (mm)	87
Weight (kg)	0,2

Logistic Dimensions & Gross Weight

Length (cm)	10,0
Width (cm)	9,5
Height (cm)	9,5
Gross Weight (kg)	0,206
Volume (cdm)	0,903

Stock Data

Planned Delivery Time (Days)	128
------------------------------	-----

Life Cycle

Sales Start	27.10.2012
Predecessor	No Predecessor

Additional Product Information

Binding Tariff Information	DEBTI-10857/21-1
BTI validity date	13.06.2024
Battery included	NO

Export Data

Commodity Code	85176200
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
Shipping Approvals	ABS,BV,DNV,GL,LR,NK,RINA,KR

UKCA	COMPLIANT
------	-----------

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=FX3U-J1939&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=FX3U-J1939&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=FX3U-J1939&doc-lang=en

Product Packaging

Cardboard (g)	37,9
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	0